

FIRST SCHEDULE

POISONS LIST

[Section 2]

| Names | Part 1 | | | | Part II | | Exempt |
|--------------------------------|----------------|----------------------------------|--|------------------|------------------|--|---|
| | Group A | Group B | Group C | Group D | | | |
| Abacavir; its salts | - | All preparations | | | | | |
| Abatacept | - | All preparations | | | | | |
| Abemaciclib | - | All preparations | | | | | |
| Abiraterone | - | All preparations | | | | | |
| Acalabrutinib | - | All preparations | | | | | |
| Acarbose | - | - | All preparations | | | | |
| Acebutolol; its salts | - | All preparations | | | | | |
| Aceclofenac | - | All preparations | | | | | |
| Acepylline | - | - | All preparations | | | | |
| Acetanilide; alkylacetanilides | - | All preparations unless exempted | - | - | - | | Preparations not for the internal treatment of human ailments |
| Acetazolamide | - | All preparations | | | | | |
| Acetic anhydride | - | - | - | All preparations | | | |
| Acetohexamide | - | - | All preparations | | | | |
| N-acetylanthranilic acid | - | - | - | - | All preparations | | |
| Acetyl bromide | - | - | - | All preparations | | | |
| Acetyl chloride | - | - | - | All preparations | | | |
| Acetylcarbromal | - | - | All preparations | | | | |
| Acetylcholine; its salts | - | All preparations | | | | | |
| Acetylcysteine | - | - | All preparations for parenteral administration | - | - | | All preparations unless in Group C |

| Names | Part 1 | | | | Part II | Exempt |
|--|---------|--|---|--|---------|--|
| | Group A | Group B | Group C | Group D | | |
| Acitretin | - | All preparations | | | | |
| Acridinium bromide | - | All preparations | | | | |
| Acyclovir | - | All preparations except those in Group C | Preparations containing not more than 5% w/w of Acyclovir for topical use | | | |
| N-(Adamantan-1-yl)-1-(5-fluoropentyl)-1H-indazole-3-carboxamide (5F-APINACA) | - | All preparations | | | | |
| N-(Adamantan-1-yl)-1-pentyl-1H-indazole-3-carboxamide (APINACA) | - | All preparations | | | | |
| Adapalene | - | All preparations | | | | |
| Adefovir dipivoxil | - | All preparations | | | | |
| Adenosine | - | - | Medicinal preparations unless exempted | All preparations unless in Group C or exempted | - | (1) Raw cordyceps (2) Product which is registered under the Control of Drugs and Cosmetics Regulations 1984 containing adenosine from natural resources (3) Cosmetic which is notified under the Control of Drugs and Cosmetics Regulations 1984. (4) Food (5) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|---|--|-----------------------------------|---------------|--|----------------|----------------|--|
| Adrenaline | Adrenaline including beta-agonist in animal feeds | - | | Preparations other than those in Group A | | | |
| Afatinib | - | All preparations | | | | | |
| Aflibercept | - | All preparations | | | | | |
| Afoxolaner | - | Preparations for animal treatment | | | | | |
| Agomelatine | - | All preparations | | | | | |
| Albutrepenonacog alfa | - | All preparations | | | | | |
| Alcaftadine | - | All preparations | | | | | |
| Alclofenac | All preparations | | | | | | |
| Alcuronium chloride | - | All preparations | | | | | |
| Alectinib | - | All preparations | | | | | |
| Alefacept | - | All preparations | | | | | |
| Alendronic acid; its salts | - | All preparations | | | | | |
| Alfuzosin; its salts | - | All preparations | | | | | |
| Aliskiren | - | All preparations | | | | | |
| Alkaloids; the following: their salts, simple or complex; their quaternary compounds: | | | | | | | |
| Aconite, alkaloids of | - | - | | All preparations | | | |
| Atropine | - | - | | All preparations | | | |
| Belladonna, alkaloids of | - | - | | All preparations | | | |
| Brucine | - | - | | All preparations unless exempted | - | - | Surgical spirit containing not more than 0.015% of brucine |
| Calabar bean, alkaloids of | - | - | | All preparations | | | |
| Colchicine | Veterinary preparations for food producing animals | - | | All preparations unless in Group A | | | |
| Coniine | Strengths of 10% and over of base | - | | Strengths under 10% of base | | | |

| Names | Part 1 | | | | Part II | Exempt |
|-------------------------|------------------------------------|----------------------------|----------------------------------|---------------------------------|---------|--|
| | Group A | Group B | Group C | Group D | | |
| Cotarnine | Strengths of 10% and over of base | - | Strengths under 10% of base | | | |
| Curare, alkaloids of | Strengths over 10% | Strengths of 10% and under | | | | |
| Emetine | - | - | All preparations unless exempted | - | - | Strengths of less than 0.05% emetine; ipecacuanha; extracts and tinctures of ipecacuanha |
| Ephedra, alkaloids of | - | - | All preparations unless exempted | - | - | Raw herbs containing ephedra alkaloids |
| Ergot, alkaloids of | - | - | All preparations | | | |
| Gelsemium, alkaloids of | - | - | All preparations | | | |
| Homatropine | - | - | All preparations | | | |
| Hyoscine | - | - | All preparations unless exempted | - | - | Stramonium contained in preparations for the relief of asthma in the form of cigarettes, smoking mixtures or fumigants |
| Jaborandi, alkaloids of | - | - | All preparations unless exempted | - | - | Strengths less than 0.25% of the alkaloids of Jaborandi |
| Lobelia, alkaloids of | - | - | All preparations unless exempted | - | - | Cigarettes, smoking mixtures or fumigants for the relief of asthma; strengths less than 0.1% |
| Mitragynine | All preparations unless in Group D | - | - | Preparations for laboratory use | | |
| Nicotine | - | - | All preparations unless exempted | - | - | (1) Tobacco (2) Product in the form of patch or gum to be used as an aid for smoking cessation, which is registered under the Control of Drugs and Cosmetics Regulations 1984 |

| Names | Part 1 | | | | Part II | | Exempt |
|---|--|------------------|------------------------------------|---------|---------|--|--|
| | Group A | Group B | Group C | Group D | | | |
| Noscapine | - | - | All preparations | | | | (3) Preparation of a kind used for smoking through electronic cigarette and electric vaporizing device, in the form of liquid or gel |
| Nux Vomica, alkaloids of | Strengths of 1.2% and over of Strychnine | - | Strengths under 1.2% of Strychnine | | | | |
| Papaverine | - | - | All preparations unless exempted | - | - | | Exhausted poppy capsules |
| Physostigmine | - | - | All preparations | | | | |
| Pilocarpine | - | - | All preparations unless exempted | - | - | | Strengths of 0.25% of base and under |
| Piper methysticum (kava-kava); its salt | - | All preparations | | | | | |
| Quebracho, alkaloids of | - | - | All preparations unless exempted | - | - | | Alkaloids of red Quebracho |
| Rauwolfia, alkaloids of | - | - | All preparations | | | | |
| Sabadilla, alkaloids of | - | - | All preparations | | | | |
| Solanaceous alkaloids, unless specified elsewhere in the List | - | - | All preparations unless exempted | - | - | | Cigarettes, smoking mixtures or fumigants for the relief of asthma |
| Stavesacre, alkaloids of | - | - | All preparations unless exempted | - | - | | Contained in soaps, ointments and lotions for external use |
| Strychnine | Strengths of 1.2% of base and over | - | Strengths under 1.2% of base | | | | |
| Veratrum, alkaloids of | - | - | All preparations | | | | |
| Vinca, alkaloids of | - | All preparations | | | | | |
| Yohimba, alkaloids of | - | - | All preparations | | | | |

| Names | Part 1 | | | | Part II | | Exempt |
|---|------------------|--|--|---------|---------|------------------|--|
| | Group A | Group B | Group C | Group D | | | |
| Allergens | - | (1) All preparations for therapeutic use (2) In-vivo diagnostic test kits | - | - | - | - | (1) All preparations unless in Group B (2) Preparation for laboratory use |
| Allopurinol | - | All preparations | | | | | |
| Alogliptin | - | All preparations | | | | | |
| Alpelisib | - | All preparations | | | | | |
| Alphadolone acetate | - | All preparations | | | | | |
| Alpha Phenylacetoacetamide (APAA) | - | - | - | - | - | All preparations | |
| Alpha-Phenylacetoacetone nitrile (APAAN) | - | - | - | - | - | All preparations | |
| Alpha-Pyrrolidinohexanophenone (Alpha-PHP, PV-7) | - | All preparations | | | | | |
| Alphaxolone | - | All preparations | | | | | |
| Alprenolol; its salts | - | All preparations | | | | | |
| Alseroxylon | - | - | All preparations | | | | |
| Alteplase | - | All preparations | | | | | |
| Alverine citrate | - | - | All preparations | | | | |
| Amantadine and other substances structurally derived therefrom; their salts unless specified elsewhere in the List | - | All preparations | | | | | |
| Ambrisentan | - | All preparations | | | | | |
| Amfepramone | - | All preparations | | | | | |
| Amidopyrine; its salts | All preparations | | | | | | |
| Amifostine; its salts; its esters | - | All preparations | | | | | |
| Amiloride; its salts | - | All preparations | | | | | |
| Amisulpride | - | All preparations | | | | | |
| Amino acids, unless specified elsewhere in the List | - | - | All preparations for parenteral administration | - | - | - | All preparations unless in Group C |
| N- [(2S)-1- (Amino-3-methyl-1-oxobutan-2yl)] – 1-(cyclohexylmethyl)-1H- indazole- 3- carboxamide (AB-CHMINACA) (DD) | - | All preparations | | | | | |
| N-[(2S)-1-Amino-3-methyl-1- oxobutan- | - | All preparations | | | | | |

| Names | Part 1 | | | | Part II | | Exempt |
|--|---------|------------------|------------------|---------|--------------|--|---|
| | Group A | Group B | Group C | Group D | | | |
| 2-yl]-1-[(4-fluorophenyl)methyl]indazole-3-carboxamide (AB-FUBINACA) | | | | | | | |
| 2-Amino-1-(2, 5-dimethoxy-4- methyl) phenylpropane (DD) | - | All preparations | | | | | |
| N-[(2S)-1-Amino-3,3- dimethyl-1-oxobutan-2-yl]-1- (cyclohexylmethyl)-1H-indazole-3-carboxamide (ADB-CHMINACA, MAB-CHMINACA) (DD) | - | All preparations | | | | | |
| N-[(2S)-1-Amino-3,3- dimethyl-1-oxobutan-2-yl]-1- [(4-fluorophenyl) methyl]-1H-indazole-3-carboxamide (ADB-FUBINACA) (DD) | - | All preparations | | | | | |
| N-[(2S)-1-Amino-3-methyl-1-oxobutan-2-yl]-1-pentyl- 1H-indazole-3-carboxamide (AB-PINACA) (DD) | - | All preparations | | | | | |
| Aminoglutethimide | - | All preparations | | | | | |
| Aminometradine | - | All preparations | | | | | |
| Aminophylline | - | - | All preparations | | | | |
| Aminopterin | - | All preparations | | | | | |
| Aminorex | - | All preparations | | | | | |
| Amiodarone; its salts | - | - | All preparations | | | | |
| p-Amino salicylic acid and other substances structurally derived therefrom; their salts; their esters | - | - | All preparations | | | | |
| Amiphenazole; its salts | - | - | All preparations | | | | |
| Amisometradine | - | All preparations | | | | | |
| Amitriptyline; its salts | - | All preparations | | | | | |
| Amlodipine | - | All preparations | | | | | |
| Ammonia | - | - | - | - | 5% and above | | (1) Below 5%; (2) Ammonia inside cooling units of a refrigerator, air conditioner and smelling bottles; (3) Its analogues, homologues, compounds, intermediates, derivatives, esters, |

| Names | Part 1 | | | | Part II | Exempt |
|--|---|--|--|---------------------------------|-----------------------------------|--|
| | Group A | Group B | Group C | Group D | | |
| Amorolfine | - | All preparations unless in Group C or exempted | All preparations for external use unless exempted | | | ethers, salts and other substances structurally derived All preparations for external use containing not more than 5% of Amorolfine |
| Amphetamine (DD); its salts | - | All preparations | | | | |
| Amprolium | - | All preparations | | | | |
| Amrinone; its salts | - | All preparations | | | | |
| Amyl nitrite | - | - | All preparations | | | |
| Anagrelide | - | All preparations | | | | |
| Anastrozole | - | All preparations | | | | |
| Anidulafungin | - | All preparations | | | | |
| 4-Anilino-N-phenethylpiperidine (ANPP) | - | - | - | - | All preparations | |
| Anistreplase | - | All preparations | | | | |
| Anthranilic acid; its salts | - | - | - | - | All preparations | |
| Antibiotics, all substances of; their synthetic preparations; their salts; unless stated elsewhere in the List | All preparations unless Group B, Group C, Group D and Part II | All preparations in pharmaceutical dosage forms and veterinary preparations compounded with one or more ingredients intended for inclusion in animal feeds unless in Group A, Group C, Group D and Part II | Suppositories and preparations for topical use in the nose, eyes and ears. Lozenges and preparations for external use only | Preparations for laboratory use | When compounded with animal feeds | |
| Anticoagulant substances, including heparin and other substances structurally derived from coumarin and phenindione unless specified elsewhere in the List | - | All preparations for human use unless in Group C | Preparations for human external use only | | | |
| Antihistamines; the following: Acrivastine | - | - | All preparations | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|--|----------------|----------------|---------------|----------------|----------------|----------------|---------------|
| Antazoline | | | | | | | |
| Astemizole | | | | | | | |
| Azatadine | | | | | | | |
| Azelastine | | | | | | | |
| Bamipine | | | | | | | |
| Bilastine | | | | | | | |
| Bromodiphenhydramine | | | | | | | |
| Brompheniramine | | | | | | | |
| Buclizine | | | | | | | |
| Carbinoxamine | | | | | | | |
| Cetirizine | | | | | | | |
| Chlorcyclizine | | | | | | | |
| Chlorpheniramine | | | | | | | |
| Cinnarizine | | | | | | | |
| Clemastine | | | | | | | |
| Clemizole | | | | | | | |
| Cyclizine | | | | | | | |
| Cyproheptadine | | | | | | | |
| Desloratadine | | | | | | | |
| 3-Dibutylaminomethyl-4, 5, 6-trihydroxy-1-isobenzofuranone | | | | | | | |
| Dimenhydrinate | | | | | | | |
| Diphenhydramine | | | | | | | |
| Diphenylpyraline | | | | | | | |
| Doxylamine | | | | | | | |
| Ebastine | | | | | | | |
| Emedastine | | | | | | | |
| Epinastine | | | | | | | |
| Fexofenadine | | | | | | | |
| Isothipendyl | | | | | | | |
| Levocetirizine | | | | | | | |
| Loratadine | | | | | | | |

| Names | Part 1 | | | | Part II | |
|---|----------------|------------------|----------------------------|----------------|--|---------------|
| | Group A | Group B | Group C | Group D | Exempt | Exempt |
| Mebhydrolin | | | | | | |
| Meclozine | | | | | | |
| Mequitazine | | | | | | |
| Olopatadine | | | | | | |
| Phenindamine | | | | | | |
| Pheniramine | | | | | | |
| Phenyltoloxamine | | | | | | |
| Promethazine | | | | | | |
| Pyrrobutamine | | | | | | |
| Rupatadine | | | | | | |
| Terfenadine | | | | | | |
| Thenalidine | | | | | | |
| Tolpropamine | | | | | | |
| Triprolidine | | | | | | |
| Substances being tetra-N substituted derivatives of ethylenediamine and propylenediamine | | | | | | |
| Antimony; its chlorides, oxides, sulphides, antimonates, antimonites; organic compounds of antimony | - | - | All medicinal preparations | - | Preparations other than medicinal preparations | |
| Apalutamide | - | All preparations | | | | |
| Apixaban | - | All preparations | | | | |
| Apomorphine; its salts | - | - | All preparations | | | |
| Apraclonidine; its salts | - | All preparations | | | | |
| Apremilast | - | All preparations | | | | |
| Aprepitant | - | All preparations | | | | |
| Apronalide | - | - | All preparations | | | |
| Aprotinin | - | All preparations | | | | |
| Aripiprazole | - | All preparations | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|--|------------------|----------------------------------|--|----------------|--|----------------|---|
| Arsenic; its organic and inorganic compounds | - | - | All medicinal preparations unless exempted | | Preparations other than medicinal preparations unless exempted | - | (1) Cosmetic which is notified under the Control of Drugs and Cosmetics Regulation 1984 [P.U.(A)223/1984] containing not more than 5 parts per million of arsenic calculated as the metal; (2) Product which is registered under the Control of Drugs and Cosmetics Regulations 1984 [P.U.(A)223/1984] containing not more than 5 parts per million of arsenic calculated as the metal |
| Artemether | - | All preparations | | | | | |
| Artesunate | - | All preparations | | | | | |
| Asenapine | - | All preparations | | | | | |
| L-Asparaginase | - | All preparations unless exempted | | | | | L-Asparaginase when used as food additive |
| Atazanavir | - | All preparations | | | | | |
| Atenolol; its salts | - | All preparations | | | | | |
| Atomoxetine; its salts | - | All preparations | | | | | |
| Atorvastatin Calcium | - | All preparations | | | | | |
| Atosiban | - | All preparations | | | | | |
| Atracurium; its salts | - | All preparations | | | | | |
| Avanafil | - | All preparations | | | | | |
| Avelumab | - | All preparations | | | | | |
| Avoparcin | All preparations | | | | | | |
| Axitinib | - | All preparations | | | | | |
| Azacyclonol; its salts | - | All preparations | | | | | |
| Azaperone | - | All preparations | | | | | |
| Azapropazone | - | All preparations | | - | | | |
| Azathioprine; its salts | - | All preparations | | | | | |

| Names | Part 1 | | | | Part II | Exempt |
|-------------------------------------|--|--|--|--|---------|---|
| | Group A | Group B | Group C | Group D | | |
| Azelaic Acid | - | All medicinal preparations unless in Group C | Medicinal preparations for external use | All preparations unless in Group B or Group C | | Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |
| Azilsartan | - | All preparations | | | | |
| Baclofen; its salts | - | All preparations | | | | |
| Baloxavir marboxil | - | All preparations | | | | |
| Balsalazide disodium | - | All preparations | | | | |
| Bambuterol | All preparations for use in animal feeds | - | Preparations other than those in Group A | | | |
| Barbituric acid | - | All preparations | | | | |
| Baricitinib | - | All preparations | | | | |
| Barium; salts of | - | - | All preparations for diagnostic or therapeutic use | All preparations unless in Group C or exempted | - | Witherite other than finely ground witherite; Barium Sulphate other than those in Group C |
| Becaplermin | - | All preparations | | | | |
| Beclamide | - | All preparations | | | | |
| Bedaquiline | - | All preparations | | | | |
| Befunolol; its salts | - | All preparations | | | | |
| Bemegride | - | - | All preparations | | | |
| Benactyzine; its salts | - | - | All preparations | | | |
| Benazepril; its salts | - | All preparations | | | | |
| Bencyclane; its salts | - | All preparations | | | | |
| Bendamustine | - | All preparations | | | | |
| Benproperine; its salts | - | - | All preparations | | | |
| Benserazide; its salts | - | All preparations | | | | |
| Benzbromarone | - | All preparations | | | | |
| Benzhexol; its salts | - | All preparations | | | | |
| Benzoctamine; its salts | - | All preparations | | | | |
| 1,4-Benzodiazepine unless specified | - | All preparations | | | | |

| Names | Part 1 | | | | Part II | Exempt |
|---|--|--|--|---|---------|---|
| | Group A | Group B | Group C | Group D | | |
| elsewhere in the List | | | | | | |
| Benzoquinonium chloride | - | All preparations | | | | |
| Benzphetamine | - | All preparations | | | | |
| Benzquinamide | - | - | All preparations | | | |
| Benztropine; its homologues; their salts | - | - | All preparations | | | |
| Benzydamine; its salts | - | - | All preparations | | | |
| N-Benzylpiperazine (BZP) | - | All preparations | | | | |
| Bepridil; its salts | - | All preparations | | | | |
| Beroctocog alfa | - | All preparations | | | | |
| Betahistine; its salts | - | - | All preparations | | | |
| Betaxolol; its salts | - | All preparations | | | | |
| Bethanechol; its salts | - | All preparations | | | | |
| Bethanidine; its salts | - | - | All preparations | | | |
| Bevonium; its salts | - | - | All preparations | | | |
| Bicalutamide | - | All preparations | | | | |
| Bifonazole | - | All preparations unless in Group C | Preparations for external use | | | |
| Bimatoprost | - | All preparations | | | | |
| Biperiden; its salts | - | All preparations | | | | |
| Bismuth; its salts | - | All medicinal preparations unless in Group C or exempted | Suppositories and medicinal preparations for external use unless exempted | All preparations unless in Group B, Group C or exempted | - | Cosmetics including those for the eye, containing bismuth oxychloride as a pearling or colouring agent |
| Bisoprolol fumarate | - | All preparations | | | | |
| Bitolterol | All preparations for use in animal feeds | - | Preparations other than those in Group A | | | |
| Bleomycin; its salts | - | All preparations | | | | |
| Boceprevir | - | All preparations | | | | |
| Bopindolol | - | All preparations | | | | |
| Boric acid and Sodium borate | - | - | All medicinal preparations unless | Preparations other than medicinal preparations unless | - | (1) Preparations containing not more than 5% of Boric acid, |

| Names | Part I | | | | Part II | | Exempt |
|--|--|------------------|--|----------|---------|---------|---|
| | Group A | Group B | Group C | Group D | Group D | Group D | |
| | | | exempted | exempted | | | or 5% of Sodium borate, or 5% of a combination of Boric acid and Sodium borate |
| | | | | | | | (2) Preparations ready for use as pesticides and fertilizers |
| | | | | | | | (3) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |
| Bortezomib | - | All preparations | | | | | |
| Botulinum toxin | - | All preparations | | | | | |
| Bretylum; its salts | - | All preparations | | | | | |
| Brexipirazole | - | All preparations | | | | | |
| Brigatinib | - | All preparations | | | | | |
| Brimonidine; its salts | - | All preparations | | | | | |
| Brinzolamide | - | All preparations | | | | | |
| Bromhexine | - | - | All preparations for parenteral administration | - | - | | All preparations unless in Group C |
| Bromides, inorganic and Ammonium bromide, for therapeutic use | - | - | All preparations | | | | |
| Bromocriptine; its salts | - | All preparations | | | | | |
| 2-(4-Bromo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine (25B-NBOMe) (DD) | - | All preparations | | | | | |
| Bromvaletone | - | - | All preparations | | | | |
| Brotizolam | - | All preparations | | | | | |
| Broxaterol | All preparations for use in animal feeds | - | Preparations other than those in Group A | | | | |
| Bucolome | - | - | All preparations | | | | |

| Names | Part 1 | | | | Part II | | Exempt |
|---|---------|------------------------------------|---|------------------|----------------------------------|-------------------|--|
| | Group A | Group B | Group C | Group D | Group D | | |
| Bufexamac | - | - | All preparations | | | | |
| Buflomedil; its salts | - | - | All preparations | | | | |
| Bufotenine; its esters and ethers; their salts | - | All preparations | | | | | |
| Bumadizone; its salts | - | - | All preparations | | | | |
| Bumetanide | - | All preparations | | | | | |
| Bunazosin; its salts | - | All preparations | | | | | |
| Buprenorphine | - | All preparations | | | | | |
| Bupropion | - | All preparations | | | | | |
| Busulphan; its salts | - | All preparations | | | | | |
| Buspirone; its salts | - | All preparations | | | | | |
| Butamirate; its salts | - | - | All preparations | | | | |
| Butinoline; its salts | - | - | All preparations | | | | |
| Butoconazole | - | All preparations unless in Group C | Pessaries. Preparations for external use | | | | |
| Butorphanol; its salts (DD) | - | All preparations | | | | | |
| Butriptyline; its salts | - | All preparations | | | | | |
| Butropium; its salts | - | - | All preparations | | | | |
| Tert-Butyl 4-(phenylamino)piperidine-1-carboxylate (1-boc-4-AP) | - | - | - | All preparations | | | |
| Cabazitaxel | - | All preparations | | | | | |
| Cabergoline | - | All preparations | | | | | |
| Cabozantinib | - | All preparations | | | | | |
| Caffeine | - | - | - | - | All preparations unless exempted | (1) Caffeine in – | (i) food or beverages; (ii) cosmetic which is notified under the Control of Drugs and Cosmetics Regulations 1984; (iii) product which is registered under the Control of Drugs and |

| Names | Part 1 | | | | Part II | | Exempt |
|---|---------|---|---|---------|---------|--|--|
| | Group A | Group B | Group C | Group D | | | |
| | | | | | | | Cosmetics Regulations 1984; |
| | | | | | | | (2) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |
| Calcipotriol | - | - | All preparations | | | | |
| Calcitonin | - | All preparations | | | | | |
| Calcitriol | - | - | All preparations unless exempted | - | - | | Product which is registered under the Control of Drugs and Cosmetics Regulations 1984 other than product for parenteral administration |
| Calcium carbimide | - | All preparations | | | | | |
| Calcium dobesilate | - | All preparations | | | | | |
| Calcium folinate | - | - | All preparations for parenteral administration | - | - | | All preparations unless in Group C |
| Calcium gluconate | - | - | All preparations for parenteral administration | - | - | | All preparations unless in Group C |
| Calcium polystyrene | - | All preparations | | | | | |
| Calfactant | - | All preparations | | | | | |
| Camylofine; its salts | - | - | All preparations | | | | |
| Canaglifozin | - | All preparations | | | | | |
| Candesartan; its salts | - | All preparations | | | | | |
| Cannabidiol | - | All preparations | | | | | |
| Cantharidin; cantharides; cantharidates | - | Strengths over 0.01% of cantharidin or its equivalent | Strengths of 0.01% or less of cantharidin or its equivalent | | | | |
| Capecitabine | - | All preparations | | | | | |
| Capmatinib | - | All preparations | | | | | |
| Captodiamine; its salts | - | - | All preparations | | | | |

| Names | Part 1 | | | | Part II | Exempt |
|--|------------------|------------------------------------|--|---------|---------|--------|
| | Group A | Group B | Group C | Group D | | |
| Captopril | - | All preparations | | | | |
| Caramiphen; its salts, except caramiphen edisylate | - | All preparations unless in Group C | Tablets containing not more than the equivalent of 7.5 mg of caramiphen base and liquid preparations containing not more than the equivalent of 0.1 % of caramiphen base | | | |
| Caramiphen edisylate | - | - | All preparations | | | |
| Carbachol | - | All preparations | | | | |
| Carbadox | All preparations | | | | | |
| Carbamazepine | - | All preparations | | | | |
| Carbarsone | - | - | All preparations | | | |
| Carbazochrome Sodium Sulphonate | - | All preparations | | | | |
| Carbenoxolone; its salts | - | All preparations unless in Group C | Preparations for topical use in the mouth or throat | | | |
| Carbetapentane; its salts | - | - | All preparations | | | |
| Carbidopa | - | All preparations | | | | |
| Carbimazole; its salts | - | All preparations | | | | |
| Carboplatin | - | All preparations | | | | |
| Carbromal | - | All preparations | | | | |
| Carbromide | - | All preparations | | | | |
| Carbutamide | - | - | All preparations | | | |
| Carfilzomib | - | All preparations | | | | |
| Cariprazine | - | All preparations | | | | |
| Carisoprodol | - | All preparations | | | | |
| Carmustine; its salts | - | All preparations | | | | |
| Carperidine; its salts | - | - | All preparations | | | |
| Carprofen | - | All preparations | | | | |
| Carteolol; its salts | - | All preparations | | | | |
| Carvedilol | - | All preparations | | | | |

| Names | Part 1 | | | | Part II | |
|---|---|--|--|--|---------|--|
| | Group A | Group B | Group C | Group D | Exempt | |
| Cathine | - | All preparations | | | | |
| Cathinone (DD) | - | All preparations | | | | |
| CBPU or Chlorbenzen-sulfonylpyrrolidinourea | - | - | All preparations | | | |
| Celecoxib | - | All preparations | | | | |
| Cerebrolysin | - | All preparations | | | | |
| Ceritinib | - | All preparations | | | | |
| Cerivastatin; its salts | - | All preparations | | | | |
| Cetrorelix | - | All preparations | | | | |
| Chenodeoxycholic acid | - | All preparations | | | | |
| Chlophedianol; its salts | - | Strengths of 1.5% and over | Strengths less than 1.5% | | | |
| Chloral; its condensation products, its addition products; their molecular compounds | - | - | All medicinal preparations | Preparations other than medicinal preparations | | |
| Chlorambucil; its salts | - | All preparations | | | | |
| Chloramphenicols and other substances structurally derived therefrom, their salts; their esters | All preparations unless in Group B, Group C and Group D | All preparations in pharmaceutical dosage form unless in Group C and Group D | Preparations for topical use in the nose, eyes and ears. Preparations for external use only. | Preparations for laboratory use. | | |
| Chlormerodrine | - | All preparations | | | | |
| Chlormethiazole; its salts | - | All preparations | | | | |
| Chlormezanone | - | All preparations | | | | |
| Chlormidazole; its salts | - | All preparations unless in Group C | Pessaries. Preparations for external use | | | |
| 2-(4-Chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine (25C-NBOMe) (DD) | - | All preparations | | | | |
| Chloroform | Veterinary preparations for food-producing animals | - | Medicinal preparation unless in Group A or exempted | All preparation unless in Group A, Group C or exempted | - | (1) Strengths under 10% unless Group A (2) Its analogues, homologues, |

| Names | Part 1 | | | | Part II | | Exempt |
|---|--|--|--|---------|---------|---|--|
| | Group A | Group B | Group C | Group D | | | |
| 4-Chloromethcathinone | - | All preparations | | | | | compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |
| Chloroquine; its salts | - | - | All preparations | | | | |
| Chlorothiazide and other substances structurally derived from benzothiadiazine | - | All preparations | | | | | |
| Chlorphenoxamine; its salts | - | All preparations | | | | | |
| Chlorphentermine; its salts | - | All preparations | | | | | |
| Chlorpromazine | Veterinary preparations for food producing animals | All preparations unless in Group A | | | | | |
| Chlorpropamide; its salts | - | - | All preparations | | | | |
| Chlorprothixene and other substances structurally derived from 9-methylenethioxanthene; their salts | - | All preparations | | | | | |
| Chlorthalidone and other substances structurally derived from O-chlorobenzene sulphonamide | - | All preparations | | | | | |
| Chlorzoxazone | - | All preparations | | | | | |
| Cholecalciferol | - | All medicinal preparations containing 10,000 i.u. or more of cholecalciferol per dosage unit | All preparations for parenteral administration unless in Group B | - | - | All preparations unless in Group B or Group C | |
| Cholestyramine | - | All preparations | | | | | |
| Cianidanol | - | All preparations | | | | | |
| Ciclesonide | - | All preparations | | | | | |
| Cicletanine; its salts | - | All preparations | | | | | |
| Cilazapril | - | All preparations | | | | | |
| Cilnidipine | - | All preparations | | | | | |
| Cilostazol | - | All preparations | | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|---|--|--|--|----------------|----------------|----------------|------------------------------------|
| Cimetidine; its salts | - | - | All preparations | | | | |
| Cimicoxib | - | All preparations | | | | | |
| Cinacalcet | - | All preparations | | | | | |
| Cinchophen and other substances structurally derived from 4-quinolinecarboxylic acid unless specified elsewhere in the List; their salts and esters | - | All preparations | | | | | |
| Cisapride | - | All preparations | | | | | |
| Cisatracurium Besylate | - | All preparations | | | | | |
| Cisplatin | - | All preparations | | | | | |
| Citalopram; its salts | - | All preparations | | | | | |
| Citicoline | - | All preparations for parenteral administration | | - | - | - | All preparations unless in Group B |
| Cladribine | - | All preparations | | | | | |
| Clenbuterol | All preparations for use in animal feeds | - | Preparations other than those in Group A | | | | |
| Clevudine | - | All preparations | | | | | |
| Clidinium; its salts | - | - | All preparations | | | | |
| Clioquinol and other halogenated hydroxyquinoline compound except halquinol | All preparations | | | | | | |
| Clobazam | - | All preparations | | | | | |
| Clodronate disodium | - | All preparations | | | | | |
| Clofarabine | - | All preparations | | | | | |
| Clofazimine | - | All preparations | | | | | |
| Clofexamide; its salts | - | All preparations | | | | | |
| Clofibrate and other substances structurally derived there from; their salts and esters | - | All preparations | | | | | |
| Clomiphene; its salts | - | All preparations | | | | | |
| Clomipramine; its salts | - | All preparations | | | | | |
| Clonidine; its salts | - | All preparations | | | | | |

| Names | Part 1 | | | | Part II | | Exempt |
|---|---------|--|---|---------|--------------------|---|--|
| | Group A | Group B | Group C | Group D | | | |
| Cloпамide | - | All preparations | | | | | |
| Cloperastine; its salts | - | - | All preparations | | | | |
| Clopidogrel | - | All preparations | | | | | |
| Clopidol | - | All preparations | | | | | |
| Clorexolone | - | All preparations | | | | | |
| Closantel sodium | - | All preparations | | | | | |
| Clothiapine | - | All preparations | | | | | |
| Clotiazepam | - | All preparations | | | | | |
| Clotrimazole | - | All preparations unless in Group C or exempted | Pessaries. | - | - | | Preparations containing clotrimazole as a single ingredient for external use |
| Clozapine | - | All preparations | | | | | |
| Cobicistat | - | All preparations | | | | | |
| Cobimetinib | - | All preparations | | | | | |
| Colfoseril; its esters | - | All preparations | | | | | |
| Corticotrophins | - | All preparations | | | | | |
| Cortisone, hydrocortisone; their derivatives, analogues and homologues; their salts | - | All preparations unless in Group C | Preparations for topical use in the nose, eyes, ears, mouth or throat. Preparations for external use only | | | | |
| Creosote, obtained from wood | - | - | - | - | Strengths over 50% | (1) Strengths of 50% and under (2) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived | |
| Crizotinib | - | All preparations | | | | | |
| Crofelemer | - | - | All preparations | | | | |
| Cucurbitacin; its derivatives | - | All preparations | | | | | |
| 1-(4-Cyanobutyl)-N-(2-phenylpropan-2yl)-1H-indazole-3-carboxamide | - | All preparations | | | | | |

| Names | Part 1 | | | | Part II | | Exempt |
|--|--|--------------------------------------|------------------|---------|--|--|--------|
| | Group A | Group B | Group C | Group D | | | |
| (CUMYL-4CN-BINACA) (DD) | | | | | | | |
| Cyclarbamate | - | All preparations | | | | | |
| Cyclofenil | - | All preparations | | | | | |
| N-[[1-(Cyclohexylmethyl)-1H-indol-3-yl]carbonyl]-3-methyl-L-valinate | - | All preparations | | | | | |
| (MDMB-CHMICA) | | | | | | | |
| Cyclopentolate; its salts | - | - | All preparations | | | | |
| Cyclophosphamide; its salts | - | All preparations | | | | | |
| Cyclosporin | - | All preparations | | | | | |
| Cycrimine; its salts | - | All preparations | | | | | |
| Cyproterone acetate | - | All preparations | | | | | |
| Cysteamine; its salts | - | All preparations | | | | | |
| Cytarabine; its salts | - | All preparations | | | | | |
| Dabigatran | - | All preparations | | | | | |
| Daclatasvir | - | All preparations | | | | | |
| Dacomitinib | - | All preparations | | | | | |
| Danazol | - | All preparations | | | | | |
| Dantrolene; its salts | - | All preparations | | | | | |
| Dapagliflozin | - | All preparations | | | | | |
| Dapoxetine | - | All preparations | | | | | |
| Dapsone | Veterinary preparations for food-producing animals | All preparations unless in Group A | | | | | |
| Darifenacin | - | - | All preparations | | | | |
| Darunavir | - | All preparations | | | | | |
| Dasabuvir | - | All preparations | | | | | |
| Dasatinib | - | All preparations | | | | | |
| Deanol; its salts | - | All preparations for therapeutic use | - | | All preparations other than in Group B | | |
| Debrisoquine; its salts | - | All preparations | | | | | |
| Decamethonium; its salts | - | All preparations | | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|---|----------------|------------------|------------------|----------------|----------------|----------------|---------------|
| Decitabine | - | All preparations | | | | | |
| Decoquinat | - | All preparations | | | | | |
| Deferasirox | - | All preparations | | | | | |
| Deferiprone | - | - | All preparations | | | | |
| Degarelix | - | All preparations | | | | | |
| Dehydroemetine; its salts | - | All preparations | | | | | |
| Delapril; its salts | - | All preparations | | | | | |
| Demecarium bromide | - | All preparations | | | | | |
| Deserpidine; its salts | - | All preparations | | | | | |
| Desferrioxamine | - | - | All preparations | | | | |
| Desflurane | | All preparations | | | | | |
| Desipramine; its salts | - | All preparations | | | | | |
| Desvenlafaxine | - | All preparations | | | | | |
| DET or N, N-Diethyltryptamine; its salts (DD) | - | All preparations | | | | | |
| Dexamphetamine (DD); its salts | - | All preparations | | | | | |
| Dexmedetomidine; its salts | - | All preparations | | | | | |
| Dextromethorphan; its salts | - | - | All preparations | | | | |
| Dextrorphan; its salts | - | - | All preparations | | | | |
| Dezocine | - | All preparations | | | | | |
| Diacerein | - | All preparations | | | | | |
| Diacetylnalorphine; its salts | - | All preparations | | | | | |
| Diazoxide | - | All preparations | | | | | |
| Dibenzepin; its salts | - | All preparations | | | | | |
| Diclazuril | - | All preparations | | | | | |
| Diclofenac; its salts | - | - | All preparations | | | | |
| Dicyclomine; its salts | - | - | All preparations | | | | |
| Didanosine | - | All preparations | | | | | |
| Diethazine; its salts | - | All preparations | | | | | |
| Diflunisal | - | - | All preparations | | | | |
| Digitalis antitoxin | - | All preparations | | | | | |

| Names | Part 1 | | | | Part II | Exempt |
|--|------------------|--|--|---------|----------------------------------|---|
| | Group A | Group B | Group C | Group D | | |
| Digitalis, glycosides of; other active principles of digitalis | - | All preparations containing 1 or more B.P. unit of activity in two grammes | Preparations containing less than 1 B.P. unit of activity in two grammes | | | |
| Dihydrallazine; its salts | - | All preparations | | | | |
| Diloxanide; its compounds | - | All preparations | | | | |
| Diltiazem; its salts | - | All preparations | | | | |
| Dimethoxanate; its salts | - | - | All preparations | | | |
| 2, 5-Dimethoxyamphetamine (DMA) (DD) | - | All preparations | | | | |
| Dimethoxybromoamphetamine (DOB) (DD) | - | All preparations | | | | |
| 2,5-Dimethoxy-4- chloroamphetamine (DOC) (DD) | - | All preparations | | | | |
| 2,5-dimethoxy- α ,4-dimethylphenethylamine (STP/ DOM) (DD) | - | All preparations | | | | |
| 2, 5-Dimethoxy-4-ethyl-amphetamine (DOET) (DD) | - | All preparations | | | | |
| 1,3-Dimethylamylamine (DMAA) | All preparations | | | | | |
| Dimethyl-4, 4',-dimethoxy-5, 6, 5', 6'-dimethylenedioxybiphenyl-2, 2'-dicarboxylate (DDB); its derivatives | - | All preparations | | | | |
| Dimethyl fumarate | - | All preparations | | | | |
| Dimethylone | - | All preparations | | | | |
| Dimetridazole | All preparations | | | | | |
| Diminazene | - | - | All preparations | | | |
| Dinitrocresols; their salts | - | - | - | - | All preparations | |
| Dinitronaphthols | - | - | - | - | All preparations unless exempted | Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |
| Dinitrophenols | - | - | - | - | All preparations unless exempted | Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and |

| Names | Part 1 | | | | Part II | | Exempt |
|--|------------------|----------------------------|--|---------|--|--|--|
| | Group A | Group B | Group C | Group D | | | |
| Dinitrothymols | - | - | - | - | All preparations unless exempted | | other substances structurally derived Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |
| Diphenidine | - | All preparations | | | | | |
| Diphenidol hydrochloride | - | - | All preparations | | | | |
| Diprophylline; its compounds | - | - | All preparations | | | | |
| Dipyridamole | - | - | All preparations | | | | |
| Dipyrene | All preparations | | | | | | |
| Diquafosol | - | All preparations | | | | | |
| Disodium clodronate | - | All preparations | | | | | |
| Disodium edetate | - | - | All preparations for parenteral administration | - | - | | All preparations unless in Group C |
| Disoprofol | - | All preparations | | | | | |
| Disopyramide; its salts | - | All preparations | | | | | |
| Distigmine; its salts | - | All preparations | | | | | |
| Disulfiram | - | All medicinal preparations | - | | Preparations other than medicinal preparations | | |
| Dithienylallylamines, dithienylalkylamines; their salts | - | All preparations | | | | | |
| DMHP or 3-(1, 2-dimethylheptyl)-1-hydroxy-7, 8, 9, 10-tetrahydro-6, 6, 9-trimethyl-6 H-dibenzo [b, d] pyran (DD) | - | All preparations | | | | | |
| DMT or N, N-Dimethyltryptamine; its salts (DD) | - | All preparations | | | | | |
| Dithranol | - | - | All preparations | | | | |
| Docetaxel | - | All preparations | | | | | |
| Dofetilide | - | All preparations | | | | | |
| Dolasetron Mesylate | - | All preparations | | | | | |
| Dolutegravir | - | All preparations | | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|--|----------------|------------------------------------|---|----------------|----------------|----------------|------------------------------------|
| Domperidone | - | All preparations | | | | | |
| Donepezil; its salts | - | All preparations | | | | | |
| Doramectin | - | All preparations | | | | | |
| Dorzolamide; its salts | - | All preparations | | | | | |
| Dothiepin; its salts | - | All preparations | | | | | |
| Doxapram | - | All preparations | | | | | |
| Doxazosin; its salts | - | All preparations | | | | | |
| Doxepin; its salts | - | All preparations | | | | | |
| Doxofylline | - | - | All preparations | | | | |
| Dronedarone | - | All preparations | | | | | |
| Dropropizine | - | - | All preparations | | | | |
| Drospirenone | - | - | All preparations | | | | |
| Drotaverine; its salts | - | All preparations | | | | | |
| Drotrecogin alfa (Recombinant human activated Protein C) | - | All preparations | | | | | |
| Dulaglutide | - | All preparations | | | | | |
| Duloxetine; its salts | - | All preparations | | | | | |
| Dupilumab | - | All preparations | | | | | |
| Durvalumab | - | All preparations | | | | | |
| Dutasteride | - | All preparations | | | | | |
| Dyflos | - | All preparations | | | | | |
| Econazole; its salts | - | All preparations unless in Group C | Pessaries. Preparations for external use | | | | |
| Ecothiopate iodide | - | All preparations | | | | | |
| Ectylurea | - | - | All preparations | | | | |
| Edaravone | - | All preparations | | | | | |
| Edoxaban | - | All preparations | | | | | |
| Efavirenz | - | All preparations | | | | | |
| Elaterin | - | - | All preparations | | | | |
| Elbasvir | - | All preparations | | | | | |
| Electrolytes; the following: | - | - | All preparations for parenteral | | - | - | All preparations unless in Group C |

| Names | Group A | Group B | Part 1 Group C administration | Group D | Part II | Exempt |
|--------------------------------|----------------|------------------|---|----------------|----------------|---------------|
| Calcium chloride | | | | | | |
| Potassium chloride | | | | | | |
| Sodium bicarbonate | | | | | | |
| Sodium chloride | | | | | | |
| Sodium lactate | | | | | | |
| Potassium dihydrogen phosphate | | | | | | |
| Potassium phosphate | | | | | | |
| Sodium glycerophosphate | | | | | | |
| Magnesium sulphate | | | | | | |
| Elosulfase | - | All preparations | | | | |
| Eltrombopag | - | All preparations | | | | |
| Elvitegravir | - | All preparations | | | | |
| Embutramide | - | - | All preparations | | | |
| Emepromium; its salts | - | - | All preparations | | | |
| Emodepside | - | - | All preparations | | | |
| Empagliflozin | - | All preparations | | | | |
| Emtricitabine | - | All preparations | | | | |
| Emylcamate | - | All preparations | | | | |
| Enalapril; its salts | - | All preparations | | | | |
| Enflurane | - | All preparations | | | | |
| Enfurvitide | - | All preparations | | | | |
| Enphenamic acid; its salts | - | - | All preparations | | | |
| Entacapone | - | All preparations | | | | |
| Entecavir | - | All preparations | | | | |
| Entrectinib | - | All preparations | | | | |
| Enzalutamide | - | All preparations | | | | |
| Eperisone; its salts | - | All preparations | | | | |
| Eplerenone | - | All preparations | | | | |
| Eprinomectin | - | All preparations | | | | |
| Eptacog alpha | - | All preparations | | | | |
| Eptifibatide | - | All preparations | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|--|----------------|--------------------------------------|------------------|----------------|----------------------------------|------------------------------------|---|
| Erdosteine | - | - | All preparations | | | | |
| Eribulin Mesylate | - | All preparations | | | | | |
| Erlotinib | - | All preparations | | | | | |
| Ertapenem sodium | - | All preparations | | | | | |
| Ertugliflozin | - | All preparations | | | | | |
| Erythryl tetranitrate | - | - | All preparations | | | | |
| Erythropoietin | - | All preparations | | | | | |
| Esafoxolaner | - | All preparations | | | | | |
| Escitalopram | - | All preparations | | | | | |
| Esmolol; its salts | - | All preparations | | | | | |
| Etanercept | - | All preparations | | | | | |
| Etelcalcetide | - | All preparations | | | | | |
| Ethacrynic acid; its salts | - | All preparations | | | | | |
| Ethambutol; its salts | - | - | All preparations | | | | |
| Ethamivan | - | - | All preparations | | | | |
| Ethchlorvynol | - | All preparations | | | | | |
| Ethyl ether | - | All preparations for anaesthetic use | - | - | - | All preparations unless in Group B | |
| Ethinamate | - | All preparations | | | | | |
| Ethionamide | - | - | All preparations | | | | |
| Ethoheptazine; its salts | - | All preparations | | | | | |
| Ethopropazine; its salts | - | All preparations | | | | | |
| Ethosuximide | - | All preparations | | | | | |
| Ethylamphetamine | - | All preparations | | | | | |
| N-Ethylhexedrone (NEH, Hexen, Ethyl-Hex) | - | All preparations | | | | | |
| Ethylidene diacetate | - | - | - | - | All preparations unless exempted | | Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |
| N-ethyl MDA (DD) | - | All preparations | | | | | |
| N-Ethyloripentylone (Ephylone) (DD) | - | All preparations | | | | | |

| Names | | | Part 1 | Part II | Exempt |
|--|--|------------------|--|---------|--------|
| | Group A | Group B | Group C | Group D | |
| Ethylone (3,4-Methylenedioxy-N-ethylcathinone) | - | All preparations | | | |
| Ethylphenidate | - | All preparations | | | |
| Eticyclidine or PCE; its salts (DD) | - | All preparations | | | |
| Etidronate disodium | - | All preparations | | | |
| Etizolam | - | All preparations | | | |
| Etomidate; its salts | - | All preparations | | | |
| Etoricoxib | - | All preparations | | | |
| Etretinate | - | All preparations | | | |
| Etodolac | - | - | All preparations | | |
| Etofylline; its compounds | - | - | All preparations | | |
| Etravirine | - | All preparations | | | |
| Etryptamine; its salts (DD) | - | All preparations | | | |
| Eutylone (DD) | - | All preparations | | | |
| Everolimus | - | All preparations | | | |
| Exemestane | - | All preparations | | | |
| Exenatide | - | All preparations | | | |
| Ezetimibe | - | All preparations | | | |
| Famciclovir | - | All preparations | | | |
| Famotidine | - | - | All preparations | | |
| Fampridine | - | All preparations | | | |
| Favipiravir | - | All preparations | | | |
| Fazadinium bromide | - | All preparations | | | |
| Febuxostat | - | All preparations | | | |
| Felodipine | - | All preparations | | | |
| Fencamfamine | - | All preparations | | | |
| Fenetylline | - | All preparations | | | |
| Fenfluramine; its salts | - | All preparations | | | |
| Fenofibrate | - | All preparations | | | |
| Fenoterol | All preparations for use in animal feeds | - | Preparations other than those in Group A | | |
| Fenoxazoline; its salts | - | - | All preparations | | |

| Names | Part 1 | | | | Part II | | Exempt |
|--|------------------|------------------------------------|---|--|---------|--|---|
| | Group A | Group B | Group C | Group D | | | |
| Fenpipramide; its salts | - | - | All preparations | | | | |
| Fenproporex | - | All preparations | | | | | |
| Fentiazac | - | - | All preparations | | | | |
| Fenticonazole; its salts | - | All preparations unless in Group C | Pessaries. Preparations for external use | | | | |
| Fesoteradine | - | All preparations | | | | | |
| Fimasartan | - | All preparations | | | | | |
| Finasteride | - | All preparations | | | | | |
| Fingolimod | - | All preparations | | | | | |
| Firocoxib | - | All preparations | | | | | |
| Flavoxate; its salts | - | All preparations | | | | | |
| Flecainide; its salts | - | All preparations | | | | | |
| Floctaphenine | - | - | All preparations | | | | |
| Fluanisone; its salts | - | All preparations | | | | | |
| Fluconazole | - | All preparations unless in Group C | Pessaries. Preparations for external use | | | | |
| Flucytosine | - | All preparations | | | | | |
| Fludarabine; its salts | - | All preparations | | | | | |
| Flufenamic acid; its salts; esters and ethers; their salts | - | All preparations | | | | | |
| Flumazenil | - | All preparations | | | | | |
| Flunarizine; its salts | - | All preparations | | | | | |
| Flunitrazepam (DD) | All preparations | | | | | | |
| Flunixin | - | All preparations | | | | | |
| Fluorescein sodium | - | - | All preparations for parenteral administration | - | - | | All preparations unless in Group C |
| Fluorides, alkali; organo fluorides | - | - | All medicinal preparations containing 3% and over | 3% and over Sodium Silicofluoride or Sodium Fluoride unless in Group C | - | | All preparations other than those in Group C or Group D |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|---|----------------|------------------------------------|---|----------------|----------------|--------------------------------|---|
| 4-Fluoroamphetamine (4-FA) (DD) | - | All preparations | | | | | |
| 2-([1-(4-Fluorobutyl)-1H-indazole-3-carbonyl]amino)-3,3-dimethylbutanoate (4-F-MDMB-BINACA, 4F-ADB, 4F-MDMB-BUTINACA) | - | All preparations | | | | | |
| 3-Fluoromethcathinone | - | All preparations | | | | | |
| [1-(5-fluoropentyl)-1H-indol-3-yl](naphthalen-1-yl)methanone (AM-2201) | - | All preparations | | | | | |
| [1-(5-Fluoropentyl)-1H-indol-3-yl](2,2,3,3-tetramethylcyclopropyl)methanone (XLR-11) | - | All preparations | | | | | |
| Fluorouracil and other substances structurally derived from uracil | - | All preparations | | | | | |
| Fluoxetine; its salts | - | All preparations | | | | | |
| Fluralaner | - | All preparations | | | | | |
| Flutamide | - | All preparations | | | | | |
| Flutrimazole; its salts | - | All preparations unless in Group C | Pessaries. Preparations for external use | | | | |
| Fluvastatin; its salts | - | All preparations | | | | | |
| Fluvoxamine; its salts | - | All preparations | | | | | |
| Fondaparinux sodium | - | All preparations | | | | | |
| Formaldehyde | - | - | - | - | - | 5% and over calculated as HCHO | (1) Under 5% calculated as HCHO. (2) Photographic glazing or hardening solution (3) Its analogues, homologues, compounds, intermediates, derivatives, |

| Names | Part 1 | | | | Part II | | Exempt |
|---|--|--|--|---------|----------------------------------|--|--|
| | Group A | Group B | Group C | Group D | | | |
| Formestane | - | All preparations | | | | | esters, ethers, salts and other substances structurally derived |
| Formoterol | All preparations for use in animal feeds | - | Preparations other than those in Group A | | | | |
| Fosaprepitant | - | All preparations | | | | | |
| Foscarnet trisodium hexahydrate | - | All preparations | | | | | |
| Fosinopril; its salts | - | All preparations | | | | | |
| Fotemustine | - | All preparations | | | | | |
| Fractionated blood products (plasma proteins obtained through a chemical manufacturing process for use on patients) | - | All preparations | | | | | |
| Frusemide | - | All preparations | | | | | |
| Fulvestrant | - | All preparations | | | | | |
| Gabapentin | - | All preparations | | | | | |
| Gadolinium chelate | - | All preparations for diagnostic or therapeutic use | - | - | - | | All preparations unless in Group B |
| Galantamine | - | All preparations | | | | | |
| Gallamine; its salts; its quarternary compounds | - | All preparations | | | | | |
| Gamma Butyrolactone | - | - | - | - | All preparations unless exempted | | (1) When use as food additive in food (2) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |
| Ganciclovir | - | All preparations | | | | | |
| Gangliosides; its salts | - | All preparations | | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|--|----------------|------------------|--|----------------|----------------|----------------|------------------------------------|
| Ganirelix | - | All preparations | | | | | |
| Gefitinib | - | All preparations | | | | | |
| Gemcitabine; its salts | - | All preparations | | | | | |
| Gemfibrozil | - | All preparations | | | | | |
| Gestrinone | - | All preparations | | | | | |
| Gimeracil | - | All preparations | | | | | |
| Glaphenine | - | - | All preparations | | | | |
| Glecaprevir | - | All preparations | | | | | |
| Glibenclamide | - | - | All preparations | | | | |
| Glibornuride | - | - | All preparations | | | | |
| Gliclazide | - | - | All preparations | | | | |
| Glimepiride | - | - | All preparations | | | | |
| Glipizide | - | - | All preparations | | | | |
| Gliquidone; its salts | - | - | All preparations | | | | |
| Glucagon; its salts | - | All preparations | | | | | |
| Glucose unless specified elsewhere in the List | - | - | All preparations for parenteral administration | | - | - | All preparations unless in Group C |
| Glutathione | - | - | All preparations for parenteral administration | | - | - | All preparations unless in Group C |
| Glutethimide | - | All preparations | | | | | |
| Glyceryl trinitrate | - | - | All preparations | | | | |
| Glycopyrrolate | - | - | All preparations | | | | |
| Glymidine; its salts | - | - | All preparations | | | | |
| Granisetron; its salts | - | All preparations | | | | | |
| Grapiprant | - | All preparations | | | | | |
| Grazoprevir | - | All preparations | | | | | |
| Griseofulvin | - | - | All preparations | | | | |
| Guanethidine; its salts | - | All preparations | | | | | |
| Guanfacine; its salts | - | All preparations | | | | | |
| Haloperidol and other substances structurally derived from butyrophenones; their salts | - | All preparations | | | | | |

| Names | Part 1 | | | | Part II | | Exempt |
|--|------------------------------------|----------------------------|------------------|---------|----------------------------------|---|--------|
| | Group A | Group B | Group C | Group D | | | |
| Halothane | - | All preparations | | | | | |
| Halquinol | All preparations unless in Group B | Veterinary preparations | | | | | |
| Hemin; its esters | - | All preparations | | | | | |
| Hexacarbacholine bromide | - | All preparations | | | | | |
| Hexafluoronium bromide | - | All preparations | | | | | |
| Hexakis zinc | - | All preparations | | | | | |
| Hexamethonium; its salts | - | All preparations | | | | | |
| Hexapropymate | - | - | All preparations | | | | |
| Hexobendine; its salts | - | - | All preparations | | | | |
| Hydrallazine; its salts | - | All preparations | | | | | |
| Hydrazines, benzyl, phenethyl, phenoxyethyl; their alpha-methyl derivatives; acyl derivatives of any of the foregoing substances comprised in this item; salts of any compound comprised in this item, for therapeutic use | - | All medicinal preparations | | | | | |
| Hydrochloric acid; hydrogen chloride | - | - | - | - | 9% and over calculated as HCl | (1) Under 9% calculated as HCl (2) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived | |
| Hydrogen bromide; hydrobromic acid | - | - | - | - | All preparations unless exempted | (1) Preparations ready for use as pesticides (2) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived | |

| Names | Part 1 | | | | Part II | | Exempt |
|---|---------|---------|--|----------------------------------|--|---|---|
| | Group A | Group B | Group C | Group D | | | |
| Hydrogen cyanide; metal cyanides other than ferrocyanides and ferricyanides | - | - | - | All preparations unless exempted | - | | Under 0.15% w/w hydrogen cyanide (HCN) or under 0.1% w/w of cyanides calculated as HCN (Registered Pesticide) |
| Hydrofluoric acid; hydrogen fluoride | - | - | - | - | All preparations unless exempted | | Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |
| Hydroquinone | - | - | All medicinal preparations unless exempted | - | All preparations unless in Group C or exempted | (1) Artificial nail systems which is a notified cosmetic under the Control of Drugs and Cosmetics Regulations 1984, containing hydroquinone not more than 0.02% w/w (2) Notified cosmetic under the Control of Drugs and Cosmetics Regulation 1984 containing arbutin (3) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived | |
| Hydroxychloroquine; its salts | - | - | All preparations | | | | |
| Hydroxycinchoninic acid, derivatives of; their salts; their esters | - | - | All preparations | | | | |
| 8-[N-(2-hydroxyethyl)-methyl- amino]-1, 3, 7 trimethylxanthine | - | - | All preparations | | | | |
| Hydroxyethylstarch | - | - | All preparations for parenteral administration | - | - | | All preparations unless in Group C |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|--|----------------|------------------------------------|---------------|--------------------------------|----------------|----------------|---------------|
| N-hydroxy MDA (DD) | - | All preparations | | | | | |
| 4-hydroxy-3-nitrophenylarsonic acid | - | - | | All preparations | | | |
| Hydroxyphenamate | - | - | | All preparations | | | |
| Hydroxyurea | - | All preparations | | | | | |
| Hydroxyzine; its salts | - | - | | All preparations | | | |
| Hypothalamic Hormones and their analogues | - | All preparations | | | | | |
| Ibandronic Acid | - | All preparations | | | | | |
| Ibrutinib | - | All preparations | | | | | |
| Ibuprofen and other substances structurally derived from 2-phenyl propionic acid | - | - | | All preparations | | | |
| Idarubicin | - | All preparations | | | | | |
| Idelalisib | - | All preparations | | | | | |
| Idoxuridine | - | All preparations | | | | | |
| Idrocilamide | - | All preparations | | | | | |
| Iloprost | - | All preparations | | | | | |
| Imatinib | - | All preparations | | | | | |
| Imidafenacin | - | - | | All preparations | | | |
| Imidapril HCl | - | All preparations | | | | | |
| Imidocarb | - | All preparations | | | | | |
| Imiglucerase | - | All preparations | | | | | |
| Imipramine; its salts | - | All preparations | | | | | |
| Imiquimod | - | All preparations unless in Group C | | Preparations for external use. | | | |
| Inclisiran | - | All preparations | | | | | |
| Indacaterol | - | All preparations | | | | | |
| Indanazoline; its salts | - | - | | All preparations | | | |
| Indapamide | - | All preparations | | | | | |
| Indinavir; its salts | - | All preparations | | | | | |
| Indomethacin; its salts | - | All preparations | | | | | |
| Inositol nicotinate | - | - | | All preparations | | | |

Dikemaskini selaras dengan P.U.(A) 125/2024

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|---|------------------|------------------------------------|---|--|--|----------------|---|
| Insulin | - | - | | All preparations | | | |
| Interferons | - | All preparations | | | | | |
| Iobitridol | - | All preparations | | | | | |
| Iodine | - | - | All preparations for parenteral administration. | All medicinal preparations containing 2% and above of iodine | All preparations unless in Group C or exempted | - | (1) Preparations containing less than 2% of iodine unless in Group C (2) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |
| 2-(4-Iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine (25I-NBOMe) (DD) | - | All preparations | | | | | |
| Iomeprol | - | All preparations | | | | | |
| Iopamidol | - | All preparations | | | | | |
| Ipratropium; its salts | - | - | All preparations | | | | |
| Iprindole; its salts | - | All preparations | | | | | |
| Iproclozide | - | All preparations | | | | | |
| Ipronidazole | All preparations | | | | | | |
| Irbesartan | - | All preparations | | | | | |
| Irinotecan; its salts | - | All preparations | | | | | |
| Isavuconazole | - | All preparations | | | | | |
| Isoaminile; its salts | - | All preparations | | | | | |
| Isocarboxazid | - | All preparations | | | | | |
| Isoconazole; its salts | - | All preparations unless in Group C | Pessaries. Preparations for external use | | | | |
| Isoflurane | - | All preparations | | | | | |
| Isoniazid; its salts | - | - | All medicinal preparations | | All preparations unless in Group C | | |

| Names | Part 1 | | | | Part II | Exempt |
|-------------------------|----------------|--------------------------------------|---|----------------|----------------------------------|--|
| | Group A | Group B | Group C | Group D | | |
| Isopropamide; its salts | - | - | All preparations | | | |
| Isosafrole | - | - | - | - | All preparations unless exempted | Preparations containing isosafrole as flavouring agents and perfumes |
| Isosorbide dinitrate | - | - | All preparations | | | |
| Isosorbide mononitrate | - | - | All preparations | | | |
| Isoxicam | - | - | All preparations | | | |
| Isotretinoin | - | All preparations | | | | |
| Isradipine | - | All preparations | | | | |
| Itopride; its salts | - | All preparations | | | | |
| Itraconazole | - | All preparations unless in Group C | Pessaries. Preparations for external use | | | |
| Ivabradine | - | All preparations | | | | |
| Ivermectin | - | All preparations | | | | |
| Ixazomib | - | All preparations | | | | |
| Ketanserin | - | All preparations | | | | |
| Ketoconazole | - | All preparations unless in Group C | Pessaries. Preparations for external use | | | |
| Ketorolac Tromethamine | - | All preparations | | | | |
| Ketotifen | - | - | All preparations | | | |
| Labetalol; its salts | - | All preparations | | | | |
| Labuvirtide | - | All preparations | | | | |
| Lamivudine | - | All preparations | | | | |
| Lamotrigine | - | All preparations | | | | |
| Lacidipine | - | All preparations | | | | |
| Lacosamide | - | All preparations | | | | |
| Lanreotide; its salts | - | All preparations | | | | |
| Lansoprazole | - | All preparations | | | | |
| Lanthanum carbonate | - | All preparations for therapeutic use | | | | |
| Lapatinib Ditosylate | - | All preparations | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|--|----------------|------------------|---------------|------------------|----------------------------------|----------------|---|
| Latanoprost | - | All preparations | | | | | |
| Laudexium; its salts | - | All preparations | | | | | |
| Lead acetate; compounds of lead with acids from fixed oils | - | - | - | | All preparations unless exempted | - | Preparations containing less than 4% of lead acetate. Machine spread plaster. Medicinal preparations of herbal origin containing 10 ppm or less of lead |
| Lead tetraethyl | - | - | | | Strengths over 1 in 750 | - | Strengths of 1 in 750 or less |
| Ledipasvir | - | All preparations | | | | | |
| Lefetamine | - | All preparations | | | | | |
| Leflunomide; its salts | - | All preparations | | | | | |
| Lemborexant | - | All preparations | | | | | |
| Lenograstim | - | All preparations | | | | | |
| Lenvatinib | - | All preparations | | | | | |
| Leptazol | - | - | | All preparations | | | |
| Lercanidipine | - | All preparations | | | | | |
| Letermovir | - | All preparations | | | | | |
| Letrozole | - | All preparations | | | | | |
| Leuprolide; its salts | - | All preparations | | | | | |
| Levallorphan; its salts | - | All preparations | | | | | |
| Levamisole; its salts | - | All preparations | | | | | |
| Levetiracetam | - | All preparations | | | | | |
| Levodopa | - | All preparations | | | | | |
| Levodropropizine; its salts | - | - | | All preparations | | | |
| Levobunolol; its salts | - | All preparations | | | | | |
| Levocabastine; its salts | - | - | | All preparations | | | |
| Levosimendan | - | All preparations | | | | | |
| Lidoflazine | - | All preparations | | | | | |
| Linagliptin | - | All preparations | | | | | |

Dikemaskini selaras dengan P.U.(A) 125/2024

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|-----------------------------------|----------------|----------------------------------|---------------|----------------|----------------|----------------|--|
| Liraglutide | - | All preparations | | | | | |
| Lisdexamfetamine | - | All preparations | | | | | |
| Lisinopril | - | All preparations | | | | | |
| Lithium salts for therapeutic use | - | All preparations unless exempted | - | | - | - | Preparations containing 0.01% or less of lithium |
| Lixisenatide | - | All preparations | | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|--|--|---|---------------|--|---------------------------------|----------------|---------------------|
| Local anaesthetics; the following: their salts; their homologues and analogues; their molecular compounds: Amino-alcohols esterified with benzoic acid, phenylacetic acid, phenylpropionic acid, cinnamic acid or the derivatives of these acids; their salts Benzocaine Bupivacaine Butyl aminobenzoate Cinchocaine Diperodon Etidocaine Lignocaine Levobupivacaine Mepivacaine Orthocaine Oxethazaine Phenacaine Phenodanisyl Prilocaine Ropivacaine Tetracaine | All preparations containing local anaesthetics unless in Group B, Group C or Group D | All preparations in pharmaceutical dosage forms unless in Group C | | (1) All preparations in pharmaceutical dosage form for topical use in the nose, eyes and ears or external use (2) Suppositories, lozenges and pastilles (3) Preparations in the form of cartridges for dental use containing 2% or less of local anaesthetic | Preparations for laboratory use | | Denatonium benzoate |
| Lofepamine | - | All preparations | | | | | |
| Lodoxamide Tromethamine | - | - | | All preparations | | | |
| Lomustine; its salts | - | All preparations | | | | | |
| Lonazolac; its salts | - | - | | All preparations | | | |
| Lonococog alfa | - | All preparations | | | | | |
| Loperamide; its salts | - | - | | All preparations | | | |
| Lopinavir | - | All preparations | | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|--|----------------|--|--|----------------|----------------|------------------|--|
| Lorlatinib | - | All preparations | | | | | |
| Losartan; its salts | - | All preparations | | | | | |
| Lovastatin | - | All preparations | | | | | |
| Lubiprostone | - | All preparations | | | | | |
| Lumefantrine | - | All preparations | | | | | |
| Lumiracoxib | - | All preparations | | | | | |
| Lung Phospholipid | - | All preparations | | | | | |
| Lurasidone | - | All preparations | | | | | |
| Luseogliflozin | - | All preparations | | | | | |
| Luspatercept | - | All preparations | | | | | |
| Lutropin alfa (Recombinant human luteinising) | - | All preparations | | | | | |
| LSD or LSD-25 or (+)-N, N-diethyllysergamide or d-lysergic acid diethyl-amide; its derivatives (DD) | - | All preparations | | | | | |
| Lysergic acid; its salts | - | - | - | - | - | All preparations | |
| Lysuride; its salts | - | All preparations | | | | | |
| Macitentan | - | All preparations | | | | | |
| Maduramycin | - | All preparations | | | | | |
| Mannitol | - | Product for diagnostic use which is registered under the Control of Drugs and Cosmetics Regulations 1984 | All preparations for parenteral administration unless in Group B | | - | - | All preparations unless in Group B and Group C |
| Mannityl hexanitrate | - | - | All preparations | | | | |
| Mannomustine; its salts | - | All preparations | | | | | |
| Maprotiline; its salts | - | All preparations | | | | | |
| Maraviroc | - | All preparations | | | | | |
| Mazindol | - | All preparations | | | | | |
| Mebeverine; its salts | - | - | All preparations | | | | |
| Mebezonium iodide | - | - | All preparations | | | | |
| Mebutamate | - | - | All preparations | | | | |

| Names | Part 1 | | | | Part II | |
|---|---------|----------------------------------|------------------|----------------------------------|---------|---|
| | Group A | Group B | Group C | Group D | Exempt | |
| Meclofenoxate; its salts | - | All preparations unless exempted | - | - | - | Preparations for horticultural use |
| Mecloqualone | - | All preparations | | | | |
| Mefenamic acid; its salts; its esters; their salts | - | - | All preparations | | | |
| Mefenorex | - | All preparations | | | | |
| Mefloquine; its salts | - | All preparations | | | | |
| Megestrol Acetate | - | All preparations | | | | |
| Meglumine; its salts | - | All preparations | | | | |
| Melagatran; its salts | - | All preparations | | | | |
| Melarsomine | - | All preparations | | | | |
| Melatonin | - | - | All preparations | | | |
| Meloxicam | - | - | All preparations | | | |
| Memantine | - | All preparations | | | | |
| Mephedrone | - | All preparations | | | | |
| Mephesisin; its esters | - | All preparations | | | | |
| Meproamate | - | All preparations | | | | |
| Meptazinol; its salts | - | All preparations | | | | |
| 2-Mercaptoethane Sulfonate Sodium (MESNA) | - | All preparations | | | | |
| Mercaptopurine and other substances structurally derived therefrom; their salts | - | All preparations | | | | |
| Mercury | - | - | - | All preparations unless exempted | - | (1) Cosmetic which is notified under the Control of Drugs and Cosmetics Regulation 1984 containing not more than 1 part per million of mercury calculated as the metal; (2) Product which is |

| Names | Part 1 | | | | Part II | | Exempt |
|---|---------|----------------------------------|------------------|---------|---------|--|--|
| | Group A | Group B | Group C | Group D | | | |
| | | | | | | | registered under the Control of Drugs and Cosmetics Regulations 1984 |
| | | | | | | | containing not more than 0.5 part per million of mercury calculated as the metal |
| | | | | | | | (3) Appliances containing mercury |
| Mesalazine | - | All preparations | | | | | |
| Mescaline or 3, 4, 5-trimethoxyphenethylamine; its salts (DD) | - | All preparations unless exempted | - | | - | | Living plants |
| Mesocarb | - | All preparations | | | | | |
| Metahexamide | - | - | All preparations | | | | |
| Metaxalone | - | All preparations | | | | | |
| Metergoline | - | All preparations | | | | | |
| Metformin | - | - | All preparations | | | | |
| Methacholine; its salts | - | All preparations | | | | | |
| Methamphetamine; its salts (DD) | - | All preparations | | | | | |
| Methantheline; its salts | - | - | All preparations | | | | |
| Methaqualone | - | All preparations | | | | | |
| Methcathinone; its salts (DD) | - | All preparations | | | | | |
| Methimazole; its salts | - | All preparations | | | | | |
| Methiopropamine (MPA) | - | All preparations | | | | | |
| Methisazone | - | All preparations | | | | | |
| Methisoprinol | - | - | All preparations | | | | |
| Methixene; its salts | - | All preparations | | | | | |
| Methocarbamol | - | All preparations | | | | | |
| Methotrexate; its salts | - | All preparations | | | | | |
| Methoxetamine (MXE) | - | All preparations | | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|---|----------------|------------------|---------------|----------------|------------------|------------------|-----------------------|
| Methoxsalen | - | All preparations | | | | | |
| 10-Methoxydeserpidine | - | All preparations | | | | | |
| 5-Methoxy-N,N-diisopropyltryptamine | - | All preparations | | | | | |
| 5-Methoxy-3, 4 methylenedioxyamphetamine (MMDA) (DD) | - | All preparations | | | | | |
| 5-Methoxy-N,N- methylisopropyltryptamine | - | All preparations | | | | | |
| 3-Methoxyphencyclidine (3-MeO-PCP) | - | All preparations | | | | | |
| 2-(2-Methoxyphenyl)-1-(1-pentylindol- 3-yl)ethanone (JWH-250) | - | All preparations | | | | | |
| Methyl alpha-phenylacetoacetate (MAPA) | - | - | - | - | - | All preparations | |
| 4-Methyl-alpha- pyrrolidinobutiophenone | - | All preparations | | | | | |
| 3,4-methylenedioxy phenyl-2- propanone | - | - | - | - | - | All preparations | |
| 4-Methylaminorex (DD) | - | All preparations | | | | | |
| Methyl bromide | - | - | - | - | All preparations | - | Registered pesticides |
| 4-Methylbuphedrone | - | All preparations | | | | | |
| Methyl 3, 3-dimethyl-2-(1- (pent-4-en- 1-yl)-1H-indazole- 3- carboxamido)butanoate (MDMB-4en- PINACA) (DD) | - | All preparations | | | | | |
| Methyldopa | - | All preparations | | | | | |
| Methylenedioxyamphetamine (MDA) (DD) | - | All preparations | | | | | |
| 3,4- Methylenedioxymethamphetamine (MDMA)(DD) | - | All preparations | | | | | |
| 3,4 –Methylenedioxypropylvalerone (MDPV) | - | All preparations | | | | | |
| N-Methylephedrine camsylate | - | All preparations | | | | | |
| 4-Methylethcathinone (4-MEC) | - | All preparations | | | | | |

| Names | Part 1 | | | | Part II | Exempt |
|---|--|--|------------------|---------|------------------|------------------------------------|
| | Group A | Group B | Group C | Group D | | |
| Methyl (2S)-2-([1 - (5-fluoropentyl)-1H-indazole-3-carbonyl]amino)-3,3-dimethylbutanoate (5F-ADB/ 5F-MDMB- PINACA) (DD) | - | All preparations | | | | |
| Methyl 2-([1-(5-fluoropentyl)-1H-indazol-3-yl] carbonyl)amino)-3-methylbutanoate (5F-AMB) | - | All preparations | | | | |
| Methyl (2S)-2-([1-(5- fluoropentyl)-1H-indole-3-carbonyl]amino)-3,3-dimethylbutanoate (5F-MDMB-PICA) | - | All preparations | | | | |
| Methyl (2S)-2-([1-(4-fluorophenyl)methyl]-1H-indazole-3-carbonyl)amino)-3-methylbutanoate (FUB-AMB) (DD) | - | All preparations | | | | |
| 3,4-MDP-2-P Methyl glycidate (PMK glycidate) | - | - | - | - | All preparations | |
| 3,4-MDP-2-P Methyl glycidic acid (PMK glycidic acid) | - | - | - | - | All preparations | |
| 3-Methylmethcathinone (3-MMC) | - | All preparations | | | | |
| N-methyl-1-(3, 4-methylenedioxyphenyl)- 2-butanamine (DD) | - | All preparations | | | | |
| Methylpentynol; its esters and other derivatives; their salts | - | - | All preparations | | | |
| Methylphenidate | - | All preparations | | | | |
| Methylone | - | All preparations | | | | |
| Methypylone | - | All preparations | | | | |
| Methylthioninium chloride | - | All preparations for parenteral administration | | | | All preparations unless in Group B |
| Metipranolol | - | All preparations | | | | |
| Metoclopramide; its salts | - | All preparations | | | | |
| Metolazone | - | All preparations | | | | |
| Metoprolol; its salts | - | All preparations | | | | |
| Metronidazole | Veterinary preparations for food-producing | All preparations unless in Group A | | | | |

| Names | Part 1 | | Part II | | Exempt |
|--|--------------------|------------------------------------|--|---------|------------------------------------|
| | Group A animals | Group B | Group C | Group D | |
| Metyrapone; its salts | - | All preparations | | | |
| Mexiletine; its salts | - | All preparations | | | |
| Mianserin; its salts | - | All preparations | | | |
| Micafungin sodium | - | All preparations | | | |
| Miconazole; its salts | - | All preparations unless in Group C | Pessaries. Preparations for external use | | |
| Midostaurin | - | All preparations | | | |
| Miglitol | - | - | All preparations | | |
| Milnacipran | - | All preparations | | | |
| Milrinone | - | All preparations | | | |
| Miltefosine | - | All preparations | | | |
| Minerals; the following, unless specified elsewhere in the List: | - | - | All preparations for parenteral administration | - | All preparations unless in Group C |
| Chromium | | | | | |
| Copper | | | | | |
| Fluorine | | | | | |
| Iron | | | | | |
| Manganese | | | | | |
| Selenium | | | | | |
| Zinc | | | | | |
| Minoxidil; its salts; its derivatives | - | All preparations unless in Group C | Preparations for external use containing not more than 5% of Minoxidil; its salts; its derivatives | | |
| Mipomersen sodium | - | All preparations | | | |
| Mirabegron | - | All preparations | | | |
| Mirtazapine | - | All preparations | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|--|----------------|------------------|------------------|----------------|----------------|----------------|---------------|
| Mitiglinide | - | All preparations | | | | | |
| Mitopodozide; its salts | - | All preparations | | | | | |
| Mitoxantrone; its salts | - | All preparations | | | | | |
| Mivacurium; its salts | - | All preparations | | | | | |
| Moclobemide | - | All preparations | | | | | |
| Modafinil | - | All preparations | | | | | |
| Mofebutazone | - | All preparations | | | | | |
| Molnupiravir | - | All preparations | | | | | |
| Molsidomin | - | - | All preparations | | | | |
| Monensin | - | All preparations | | | | | |
| Monoclonal antibody; includes the following: | - | All preparations | | | | | |
| Abciximab | | | | | | | |
| Adalimumab | | | | | | | |
| Alemtuzumab | | | | | | | |
| Alirocumab | | | | | | | |
| Amivantamab | | | | | | | |
| Atezolizumab | | | | | | | |
| Basiliximab | | | | | | | |
| Belimumab | | | | | | | |
| Benralizumab | | | | | | | |
| Bevacizumab | | | | | | | |
| Blinatumomab | | | | | | | |
| Brentuximab | | | | | | | |
| Brodalumab | | | | | | | |
| Brolucizumab | | | | | | | |
| Burosumab | | | | | | | |
| Canakinumab | | | | | | | |
| Casirivimab | | | | | | | |
| Certolizumab | | | | | | | |
| Cetuximab | | | | | | | |
| Cilgavimab | | | | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|------------------------|----------------|----------------|---------------|----------------|----------------|----------------|---------------|
| Dacliximab | | | | | | | |
| Daratumumab | | | | | | | |
| Denosumab | | | | | | | |
| Efalizumab | | | | | | | |
| Emicizumab | | | | | | | |
| Erenumab | | | | | | | |
| Evolocumab | | | | | | | |
| Faricimab | | | | | | | |
| Galcanezumab | | | | | | | |
| Golimumab | | | | | | | |
| Guselkumab | | | | | | | |
| Idarucizumab | | | | | | | |
| Imdevimab | | | | | | | |
| Infliximab | | | | | | | |
| Ixekizumab | | | | | | | |
| Mepolizumab | | | | | | | |
| Natalizumab | | | | | | | |
| Necitumumab | | | | | | | |
| Nivolumab | | | | | | | |
| Obinutuzumab | | | | | | | |
| Ofatumumab | | | | | | | |
| Omalizumab | | | | | | | |
| Palivizumab | | | | | | | |
| Panitumumab | | | | | | | |
| Pembrolizumab | | | | | | | |
| Pertuzumab | | | | | | | |
| Polatuzumab vedotin | | | | | | | |
| Ramucirumab | | | | | | | |
| Ranibizumab | | | | | | | |
| Regdanvimab | | | | | | | |
| Risankizumab | | | | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|---|----------------|------------------|------------------|----------------|----------------|----------------|---------------|
| Rituximab | | | | | | | |
| Romosozumab | | | | | | | |
| Sarilumab | | | | | | | |
| Satralizumab | | | | | | | |
| Secukinumab | | | | | | | |
| Siltuximab | | | | | | | |
| Sotrovimab | | | | | | | |
| Tixagevimab | | | | | | | |
| Tocilizumab | | | | | | | |
| Trastuzumab | | | | | | | |
| Ustekinumab | | | | | | | |
| Vedolizumab | | | | | | | |
| Montelukast | - | - | All preparations | | | | |
| Morantel Tartrate | - | All preparations | | | | | |
| Moroxydine; its salts | - | All preparations | | | | | |
| Mosapride | - | All preparations | | | | | |
| Moxidectin | - | All preparations | | | | | |
| Moxonidine | - | All preparations | | | | | |
| Mustine and other substances structurally derived therefrom; their salts | - | All preparations | | | | | |
| Mycophenolic acid | - | All preparations | | | | | |
| Nabumetone | - | All preparations | | | | | |
| Nadolol | - | All preparations | | | | | |
| Naftidrofuryl acid oxalate | - | All preparations | | | | | |
| Nalbuphine | - | All preparations | | | | | |
| Nalidixic acid and other substances structurally derived therefrom; its salts | - | All preparations | | | | | |
| Nalorphine; its salts | - | All preparations | | | | | |
| Naloxone; its salts | - | All preparations | | | | | |
| Naltrexone; its salts | - | All preparations | | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|---|----------------|---|---------------|---|----------------|----------------|---------------|
| Naphazoline; its salts | - | - | | All preparations | | | |
| Naphthalene-1-yl-(1-pentyl-1H-indol-3-yl) methanone (JWH-018) | - | All preparations | | | | | |
| Naproxen; its salts | - | - | | All preparations | | | |
| Naratriptan; its salts | - | All preparations | | | | | |
| Narcotic substances; the following: | | | | | | | |
| (DD) Acetorphine | - | All preparations | | | | | |
| (DD) Acetyl-alpha-methyl-fentanyl | - | All preparations | | | | | |
| (DD) Acetyldihydrocodeine | - | - | | All products registered under the Control of Drugs and Cosmetics Regulations 1984 | | | |
| (DD) Acetylfentanyl | - | All preparations | | | | | |
| (DD) Acetylmethadol | - | All preparations | | | | | |
| (DD) Acryloxyfentanyl | - | All preparations | | | | | |
| (DD) Alfentanil | - | All products registered under the CDCR 1984 | | | | | |
| (DD) Allylprodine | - | All preparations | | | | | |
| (DD) Alphacetylmethadol | - | All preparations | | | | | |
| (DD) Alphameprodine | - | All preparations | | | | | |
| (DD) Alphamethadol | - | All preparations | | | | | |
| (DD) Alpha-methylfentanyl | - | All preparations | | | | | |
| (DD) Alpha-methylthiofentanyl | - | All preparations | | | | | |
| (DD) Alphaprodine | - | All preparations | | | | | |
| (DD) Anileridine | - | All preparations | | | | | |
| (DD) Benzethidine | - | All preparations | | | | | |
| (DD) Benzylmorphine | - | All preparations | | | | | |
| (DD) Beta-hydroxyfentanyl | - | All preparations | | | | | |

| Names | | | Part 1 | Part II | Exempt |
|---|------------------|--|---|---------|--------|
| | Group A | Group B | Group C | Group D | |
| (DD) Beta-hydroxy-3 methylfentanyl | - | All preparations | | | |
| (DD) Betacetylmethadol | - | All preparations | | | |
| (DD) Betameprodine | - | All preparations | | | |
| (DD) Betamethadol | - | All preparations | | | |
| (DD) Betaprodine | - | All preparations | | | |
| (DD) Bezitramide | - | | All preparations | | |
| (DD) 4-bromo-2,5-dimethoxyphenethyl amine (2C-B) | All preparations | | | | |
| (DD) Brorphine | - | All preparations | | | |
| (DD) Butyrfentanyl | - | All preparations | | | |
| (DD) Cannabis, its resin, extracts and tinctures of; cannabin tannate | - | All preparations except in corn paints | When contained in corn paints for external use only | | |
| (DD) Carfentanil | - | All preparations | | | |
| (DD) Clonitazene | - | All preparations | | | |
| (DD) Coca, alkaloids of | - | Strengths of 0.1% and over calculated as cocaine | Strengths under 0.1% calculated as cocaine | | |
| (DD) Cocaine | - | - | All products registered under the Control of Drugs and Cosmetics Regulations 1984 | | |
| (DD) Codeine | - | - | All products registered under the Control of Drugs and Cosmetics Regulations 1984 | | |
| (DD) Codoxime | - | All preparations | | | |
| (DD) Crotonylfentanyl | - | All preparations | | | |
| (DD) 1-Cyclohexyl-4-(1,2 – | - | All preparations | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|---|----------------|---|---------------|----------------|----------------|---|---------------|
| diphenylethyl)piperazine (MT-45) | | | | | | | |
| (DD) Cyclopropylfentanyl | - | All preparations | | | | | |
| (DD) Desomorphine | - | All preparations | | | | | |
| (DD) Dextromoramide | - | All preparations | | | | | |
| (DD) Dextropropoxyphene | - | - | | | | All products registered under the Control of Drugs and Cosmetics Regulations 1984 | |
| (DD) Diampromide | - | All preparations | | | | | |
| (DD) 3,4-Dichloro-N-[(1-dimethylamino) cyclohexylmethyl]benzamide (AH-7921) | - | All preparations | | | | | |
| (DD) 3,4-Dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methylbenzamide (U-47700) | - | All preparations | | | | | |
| (DD) Diethylthiambutene | - | All preparations | | | | | |
| (DD) Difenoazin | - | - | | | | All products registered under the Control of Drugs and Cosmetics Regulations 1984 | |
| (DD) Dihydrocodeine | - | All products registered under the Control of Drugs and Cosmetics Regulations 1984 | | | | | |
| (DD) Dihydroetorphine | - | All preparations | | | | | |
| (DD) Dihydromorphine | - | All preparations | | | | | |
| (DD) Dimenoxadol | - | All preparations | | | | | |
| (DD) Dimepheptanol | - | All preparations | | | | | |

| Names | Part 1 | | | Part II | Exempt |
|--|---|--|---|---------|--------|
| | Group A | Group B | Group C | | |
| (DD) Dimethylthiambutene | - | All preparations | | | |
| (DD) Dioxaphetylbutyrate | - | All preparations | | | |
| (DD) Diphenoxylate | - | - | All products registered under the Control of Drugs and Cosmetics Regulations 1984 | | |
| (DD) Dipipanone | - | All preparations | | | |
| (DD) Drotebanol | - | All preparations | | | |
| (DD) Ecgonine | Strengths of the equivalent of 1% or more of Ecgonine | Strengths less than the equivalent of 1% of Ecgonine | | | |
| (DD) Ethylmethyl-thiambutene | - | All preparations | | | |
| (DD) Ethylmorphine | - | - | All products registered under the Control of Drugs and Cosmetics Regulations 1984 | | |
| (DD) Etonitazene | - | All preparations | | | |
| (DD) Etorphine | - | All preparations | | | |
| (DD) Etoxidine | - | All preparations | | | |
| (DD) Fentanyl | - | All products registered under the CDCR 1984 | | | |
| (DD) 4-Fluoroisobutyrfentanyl (4-FIBF, pFIBF) | - | All preparations | | | |
| (DD) Furanyl fentanyl | - | All preparations | | | |
| (DD) Furethidine | - | All preparations | | | |
| (DD) Gamma hydroxybutyric Acid (GHB) | All preparations | | | | |
| (DD) Heroin or diacetyl- Morphine | - | All preparations | | | |
| (DD) Hydrocodone | - | All preparations | | | |
| (DD) Hydromorphanol | - | All preparations | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|---|------------------|---|---------------|----------------|----------------|----------------|---------------|
| (DD) Hydromorphone | - | All preparations | | | | | |
| (DD) Hydroxypethidine | - | All preparations | | | | | |
| (DD) Isomethadone | - | All preparations | | | | | |
| (DD) Isotonitazene | - | All preparations | | | | | |
| (DD) Ketamine | - | All products registered under the CDCR 1984 | | | | | |
| (DD) Ketobemidone | - | All preparations | | | | | |
| (DD) Levomethorphan | - | All preparations | | | | | |
| (DD) Levomoramide | - | All preparations | | | | | |
| (DD) Levophenacymorphan | - | All preparations | | | | | |
| (DD) Levorphanol | - | All preparations | | | | | |
| (DD) Metazocine | - | All preparations | | | | | |
| (DD) Methadone | - | All products registered under the CDCR 1984 | | | | | |
| (DD) Methadone-Intermediate | - | All preparations | | | | | |
| (DD) Methoxyacetylfentanyl | - | All preparations | | | | | |
| (DD) Methyldesorphine | - | All preparations | | | | | |
| (DD) Methyl dihydromorphine | - | All preparations | | | | | |
| (DD) 3- Methylfentanyl | - | All preparations | | | | | |
| (DD) 4-Methylthioamphetamine (4-MTA) | All preparations | | | | | | |
| (DD) 3- Methylthiofentanyl | - | All preparations | | | | | |
| (DD) 1- Methyl-4-phenyl-4-piperidinol propionate (MPPP) | - | All preparations | | | | | |
| (DD) Metonitazene | - | All preparations | | | | | |
| (DD) Metopon | - | All preparations | | | | | |
| (DD) Moramide-Intermediate | - | All preparations | | | | | |
| (DD) Morpheridine | - | All preparations | | | | | |
| (DD) Morphine | - | All products registered under the CDCR 1984 | | - | | | |

| Names | Part 1 | | | Part II | | Exempt |
|---|---------|-----------------------------------|---|---------|--|--------|
| | Group A | Group B | Group C | Group D | | |
| (DD) Morphine methobromide and other pentavalent nitrogen morphine derivatives, including in particular the morphine-N-oxide derivatives, one of which is Codeine-N-oxide | - | All preparations | | | | |
| (DD) Morphine-N-oxide | - | All preparations | | | | |
| (DD) Myrophine | - | All preparations | | | | |
| (DD) Nicocodine | - | - | All products registered under the Control of Drugs and Cosmetics Regulations 1984 | | | |
| (DD) Nicodicodine | - | - | All products registered under the Control of Drugs and Cosmetics Regulations 1984 | | | |
| (DD) Nicomorphine | - | All preparations | | | | |
| (DD) Noracymethadol | - | All preparations | | | | |
| (DD) Norcodeine | - | - | All products registered under the Control of Drugs and Cosmetics Regulations 1984 | | | |
| (DD) Norlevorphanol | - | All preparations | | | | |
| (DD) Normethadone | - | All preparations | | | | |
| (DD) Normorphine | - | All preparations | | | | |
| (DD) Norpipanone | - | All preparations | | | | |
| (DD) Ocfentanil | - | All preparations | | | | |
| (DD) Opium | - | All products registered under the | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|--|----------------|---|---------------|---|----------------|----------------|---------------|
| | | Control of Drugs and Cosmetics Regulations 1984 | | | | | |
| (DD) Orthofluorofentanyl | - | All preparations | | | | | |
| (DD) Oxycodone | - | All products registered under the CDCR 1984 | | | | | |
| (DD) Oxymorphone | - | All preparations | | | | | |
| (DD) Parafluorobutyrylfentanyl | - | All preparations | | | | | |
| (DD) Para-flurofentanyl | - | All preparations | | | | | |
| (DD) Pethidine | - | All products registered under the CDCR 1984 | | | | | |
| (DD) Pethidine-Intermediate A | - | All preparations | | | | | |
| (DD) Pethidine-Intermediate B | - | All preparations | | | | | |
| (DD) Pethidine-Intermediate C | - | All preparations | | | | | |
| (DD) Phenadoxone | - | All preparations | | | | | |
| (DD) Phenampromide | - | All preparations | | | | | |
| (DD) Phenazocine | - | All preparations | | | | | |
| (DD) 1-Phenethyl-4-phenyl-4- piperidinol acetate (PEPAP) | - | All preparations | | | | | |
| (DD) Phenomorphan | - | All preparations | | | | | |
| (DD) Phenoperidine | - | All preparations | | | | | |
| (DD) Pholcodine | - | - | | All products registered under the Control of Drugs and Cosmetics Regulations 1984 | | | |
| (DD) Piminodine | - | All preparations | | | | | |
| (DD) Piritramide | - | All preparations | | | | | |
| (DD) Proheptazine | - | All preparations | | | | | |
| (DD) Properidine | - | All preparations | | | | | |

| Names | Part 1 | | | Group D | Part II | Exempt |
|---|---------|---|---|---------|---------|---|
| | Group A | Group B | Group C | | | |
| (DD) Propiram | - | - | All products registered under the Control of Drugs and Cosmetics Regulations 1984 | | | |
| (DD) Racemethorphan | - | All preparations | | | | |
| (DD) Racemoramide | - | All preparations | | | | |
| (DD) Racemorphan | - | All preparations | | | | |
| (DD) Remifentanil | - | All products registered under the Control of Drugs and Cosmetics Regulations 1984 | | | | |
| (DD) Sufentanil | - | All products registered under the CDCR 1984 | | | | |
| (DD) Tetrahydrofuranly fentanyl (THF-F) | - | All preparations | | | | |
| (DD) Thebacon | - | All preparations | | | | |
| (DD) Thebaine | - | All preparations | | | | |
| (DD) Thiofentanyl | - | All preparations | | | | |
| (DD) Tilidine | - | All preparations | | | | |
| (DD) Trimeperidine | - | All preparations | | | | |
| (DD) Valeryl fentanyl | - | All preparations | | | | |
| Natamycin | - | - | All preparations unless exempted | - | - | Natamycin when use as food additive in food |
| Nateglinide | - | - | All preparations | | | |
| Nebivolol | - | All preparations | | | | |
| Nedocromil sodium | - | - | All preparations | | | |
| Nefazodone; its salts | - | All preparations | | | | |
| Nefopam; its salts | - | All preparations | | | | |
| Nelfinavir; its salts | - | All preparations | | | | |
| Neostigmine; its salts | - | All preparations | | | | |
| Nepafenac | - | - | All preparations | | | |
| Neratinib | - | All preparations | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|------------------------|------------------|------------------------------------|--|----------------|----------------|-----------------|---|
| Netupitant | - | All preparations | | | | | |
| Nevirapine; its salts | - | All preparations | | | | | |
| Nialamide | - | All preparations | | | | | |
| Nicarbazin | - | All preparations | | | | | |
| Nicardipine; its salts | - | All preparations | | | | | |
| Nicotinic acid | - | Sustained release preparations | All preparations for parenteral administration other than in Group B | | - | - | All preparations unless in Group B and Group C |
| Nicergoline; its salts | - | All preparations | | | | | |
| Niclosamide | - | All preparations | | | | | |
| Nifedipine | - | All preparations | | | | | |
| Niflumic acid | - | All preparations | | | | | |
| Nifuroxazide | - | - | All preparations | | | | |
| Nikethamide | - | - | All preparations | | | | |
| Nilotinib | - | All preparations | | | | | |
| Nilvadipine | - | All preparations | | | | | |
| Nimetazepam (DD) | All preparations | - | | | | | |
| Nimodipine | - | All preparations | | | | | |
| Nimorazole | - | All preparations unless in Group C | Pessaries. Preparations for external use | | | | |
| Nintedanib | - | All preparations | | | | | |
| Nirmatrelvir | - | All preparations | | | | | |
| Nisoldipine | - | All preparations | | | | | |
| Nitric acid | - | - | - | | - | 9% w/w and over | (1) Under 9% w/w (2) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |

| Names | Part 1 | | | | Part II | | Exempt |
|------------------------------------|--|--|---|---|---------|---|--------|
| | Group A | Group B | Group C | Group D | | | |
| Nitric Oxide | - | Preparations in the form of medicinal gas for therapeutic use | - | - | - | (1) All preparations unless in Group B (2) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived | |
| Nitrendipine | - | All preparations | | | | | |
| Nitrobenzene | - | - | - | All preparations containing 0.1% and over unless exempted | - | (1) Under 0.1% (2) Under 1% in soap (3) Under 5% in polishes (4) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived | |
| Nitrofurans | All preparations including preparations for use in animal feed | All preparations in pharmaceutical dosage form unless in Group A and Group C | Suppositories and preparations for topical use in the nose, eyes and ears. Lozenges and preparations for external use only | | | | |
| Nitrophenols, ortho, meta and para | - | - | - | All preparations | | Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived | |
| Nizatidine | - | - | All preparations | | | | |
| Nomifensine; its salts | - | All preparations | | | | | |
| Norephedrine | All preparations | | | | | | |
| Norfentanyl | - | - | - | All preparations | | | |
| Nortriptyline; its salts | - | All preparations | | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|--------------------------------|------------------|------------------------------------|---|----------------|------------------|----------------|---|
| Nusinersen | - | All preparations | | | | | |
| Nystatin | - | - | All preparations | | | | |
| Oclatinib | - | All preparations | | | | | |
| Ocriplasmin | - | All preparations | | | | | |
| Octamylamine | - | - | All preparations | | | | |
| Octreotide; its salts | - | All preparations | | | | | |
| Olanzapine | - | All preparations | | | | | |
| Olaparib | - | All preparations | | | | | |
| Olaquinox | All preparations | | | | | | |
| Olmesartan medoxomil | - | All preparations | | | | | |
| Olodaterol | - | All preparations | | | | | |
| Ombitasvir | - | All preparations | | | | | |
| Omeprazole | - | All preparations | | | | | |
| Omidenepag | - | All preparations | | | | | |
| Ondansetron; its salts | - | All preparations | | | | | |
| Oprelvekin | - | All preparations | | | | | |
| Orlistat | - | - | All preparations | | | | |
| Ornidazole | - | All preparations unless in Group C | Pessaries. Preparations for external use | | | | |
| Orphenadrine; its salts | - | All preparations | | | | | |
| Orthopterin | - | All preparations | | | | | |
| Oseltamivir | - | All preparations | | | | | |
| Osimertinib | - | All preparations | | | | | |
| Oteracil potassium | - | All preparations | | | | | |
| Ouabain | - | All preparations | | | | | |
| Oxalic acid; metallic oxalates | - | - | - | | All preparations | - | (1) Laundry blue, polishes, cleaning powders or |

| Names | Part 1 | | | Part II | | Exempt |
|-----------------------------|------------------|------------------------------------|-------------------------------|----------------------------|---|--|
| | Group A | Group B | Group C | Group D unless exempted | | |
| Oxaliplatin | - | All preparations | | | | scouring products, containing the equivalent of not more than 10% of oxalic acid dihydrate. (2) Ink eradicators containing not more than 5% of oxalic acid (3) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |
| Oxcarbazepine | - | All preparations | | | | |
| Oxiconazole; its salts | - | All preparations unless in Group C | Preparations for external use | | | |
| Oxprenolol; its salts | - | All preparations | | | | |
| Oxybutinin; its salts | - | - | All preparations | | | |
| Oxyclozanide | - | All preparations | | | | |
| Oxymetazoline; its salts | - | - | All preparations | | | |
| Oxyphenbutazone | All preparations | | | | | |
| Oxyphencyclimine; its salts | - | - | All preparations | | | |
| Oxyphenonium; its salts | - | - | All preparations | | | |
| Oxytocins | - | All preparations | | | | |
| Paliperidone | - | All preparations | | | | |
| Palonosetron | - | All preparations | | | | |
| Pamidronate Disodium | - | All preparations | | | | |
| Paclitaxel | - | All preparations | | | | |
| Palbociclib | - | All preparations | | | | |
| Pancuronium bromide | - | All preparations | | | | |
| Panobinostat | - | All preparations | | | | |
| Pantoprazole; its salts | - | All preparations | | | | |
| Paracetamol | - | - | All preparations for | - | - | All preparations unless in |

| Names | Group A | Group B | Part 1 | Group D | Part II | Exempt |
|---|---------|------------------------------------|-------------------------------|---------|---------|---------|
| | | | Group C | | Group C | Group C |
| Parahexyl (DD) | - | All preparations | parenteral administration | | | |
| Paraldehyde | - | - | All preparations | | | |
| Paramethadione | - | All preparations | | | | |
| Paramethoxyamphetamine (PMA) (DD) | - | All preparations | | | | |
| Para-methoxymethylamphetamine (PMMA) (DD) | - | All preparations | | | | |
| Para-methyl-4-methylaminorex (4,4'-DMAR) | - | All preparations | | | | |
| Parecoxib sodium | - | All preparations | | | | |
| Pargyline; its salts | - | All preparations | | | | |
| Paricalcitol | - | - | All preparations | | | |
| Paritaprevir | - | All preparations | | | | |
| Paroxetine | - | All preparations | | | | |
| Pazopanib | - | All preparations | | | | |
| Pecazine; its salts | - | - | All preparations | | | |
| Pegabtanib Sodium | - | All preparations | | | | |
| Pegaspargase | - | All preparations | | | | |
| Pegfilgrastim | - | All preparations | | | | |
| Pegvisomant | - | All preparations | | | | |
| Pemafibrate | - | All preparations | | | | |
| Pemetrexed | - | All preparations | | | | |
| Pemoline | - | All preparations | | | | |
| Pempidine; its salts | - | All preparations | | | | |
| Penciclovir | - | All preparations unless in Group C | Preparations for topical use. | | | |
| Penicillamine; its salts | - | All preparations | | | | |
| Pentosan | - | All preparations | | | | |
| Pentaerythritol tetranitrate | - | - | All preparations | | | |
| Pentamidine; its salts | - | All preparations | | | | |
| Pentazocine | - | All preparations | | | | |

| Names | Part 1 | | | | Part II | | Exempt |
|---|--|------------------|--|---------|---------|------------------|---|
| | Group A | Group B | Group C | Group D | Group D | | |
| Pentedrone (α-methylaminovalerophenone) | - | All preparations | | | | | |
| Pentoxifylline | - | All preparations | | | | | |
| (1-Pentyl-1H-indol-3-yl)(2,2,3,3-tetramethylcyclopropyl)methanone (UR-144) (DD) | - | All preparations | | | | | |
| 5-Pentyl-2-(2-phenylpropan-2-yl)-2,5-dihydro-1H-pyrido[4,3-b]indol-1-one(CUMYL-PEGACLONE)(DD) | - | All preparations | | | | | |
| Perampanel | - | All preparations | | | | | |
| Pergolide Mesylate | - | All preparations | | | | | |
| Perindopril | - | All preparations | | | | | |
| Phenacemide | - | All preparations | | | | | |
| Phenacetin | All preparations unless exempted | - | - | - | - | | Hydrogen Peroxide solution or preparations containing hydrogen peroxide solution incorporated with not more than 0.1% w/w of phenacetin as stabiliser for the hydrogen peroxide solution calculated with reference to that hydrogen peroxide solution |
| Phenaglycodol | - | All preparations | | | | | |
| Phenazone | All preparations | | | | | | |
| Phenazopyridine; its salts | - | All preparations | | | | | |
| Phenbutrazate; its salts | - | All preparations | | | | | |
| Phencyclidine | - | All preparations | | | | | |
| Phendimetrazine | - | All preparations | | | | | |
| Phenelzine; its salts | - | All preparations | | | | | |
| Phenethylamine unless specified elsewhere in the List | All preparations for use in animal feeds | - | Preparations other than those in Group A | | | | |
| N-Phenethyl-4-piperidinone (NPP) | - | - | - | - | | All preparations | |

| Names | Part 1 | | | | Part II | Exempt |
|--|---------|---|--|---------|---|--|
| | Group A | Group B | Group C | Group D | | |
| Phenformin | - | - | All preparations | - | - | - |
| Phenmetrazine | - | All preparations | - | - | - | - |
| Phenolphthalein | - | - | All preparations for therapeutic use | - | All preparations unless in Group C or exempted | Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |
| Phenols (any member of the series of phenols of which the first member is phenol) and of which the molecular composition varies from member to member by one atom of carbon and two atoms of hydrogen); compounds of phenol with a metal | - | - | All preparations for diagnostic or therapeutic use unless exempted | - | All preparations other than those in Part I or exempted | <p>(1) Paratertiary amyl phenol; tertiary butyl cresol; thymol; carvacrol; soap; tar (coal or wood); essential oils; essential oils in which phenols occur naturally</p> <p>(2) Strengths under 2.5% w/w of phenols</p> <p>(3) 5% w/w of phenols or under in surgical dressings for human or animal use</p> <p>(4) Its analogues, homologues, compounds (other than compounds of phenol with a metal), intermediates, derivatives, esters, ethers, salts and other substances structurally derived</p> |
| Phenothiazine and other substances structurally derived from it; their salts; except Chlorpromazine, Dimethoxanate; its salts and Promethazine; its salts and molecular compounds | - | All preparations for diagnostic or therapeutic use unless exempted. | - | - | All preparations other than in Group B or exempted. | Phenothiazine powder for veterinary use only. |
| Phenprobamate | - | All preparations | - | - | - | - |

| Names | Part 1 | | | | Part II | Exempt |
|---|---------|----------------------------------|---------|----------------------------------|------------------|--|
| | Group A | Group B | Group C | Group D | | |
| Phentermine | - | All preparations | | | | |
| Phentolamine; its salts | - | All preparations | | | | |
| Phenylacetic acid; its salts | - | - | - | - | All preparations | |
| Phenylbutazone; its salts | - | All preparations | | | | |
| Phenylene-1, 4-diisothiocyanate | - | All preparations | | | | |
| N-Phenyl-4-piperidinamine (4-AP) | - | - | - | All preparations | | |
| 1-Phenyl-2-propanone | - | - | - | - | All preparations | |
| Phenytoin and other substances structurally derived from hydantoin; their salts | - | All preparations unless exempted | - | - | - | Cosmetic which is notified under the Control of Drugs and Cosmetics Regulations 1984 containing derivatives of hydantoin |
| Phosphorus white, yellow, red or black | - | - | - | - | All preparations | (1) Phosphorus in food, notified cosmetic or registered product under the Control of Drugs and Cosmetics Regulations 1984 (2) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |
| Pibrentasvir | - | All preparations | | | | |
| Picric acid | - | - | - | All preparations unless exempted | | Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |

| Names | Part 1 | | | | Part II | | Exempt |
|---|--|------------------|--|---------|----------------------------------|--|--------|
| | Group A | Group B | Group C | Group D | | | |
| Picrotoxin | - | - | All preparations | | | | |
| Pimecrolimus | - | - | All preparations | | | | |
| Pimobendan | - | All preparations | | | | | |
| Pimozide | - | All preparations | | | | | |
| Pinaverium | - | All preparations | | | | | |
| Pindolol its salts | - | All preparations | | | | | |
| Pioglitazone | - | All preparations | | | | | |
| Pipazethate; its salts | - | - | All preparations | | | | |
| Pipemidic acid; its salts | - | All preparations | | | | | |
| Piperazine unless stated elsewhere in the List | - | - | - | - | All preparations unless exempted | (1) Cosmetic which is notified under the Control of Drugs and Cosmetics Regulations 1984 (2) Product which is registered under the Control of Drugs and Cosmetics Regulations 1984 (3) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived | |
| Piperidine unless specified elsewhere in the List | | - | - | - | All preparations | | |
| Piperonal | - | - | - | - | All preparations | Preparations containing piperonal as flavouring agents and perfumes | |
| Pipoxolon; its salts | - | All preparations | | | | | |
| Pipradrol | - | All preparations | | | | | |
| Piracetam | - | All preparations | | | | | |
| Pirbuterol | All preparations for use in animal feeds | - | Preparations other than those in Group A | | | | |

Dikemaskini selaras dengan P.U.(A) 125/2024

| Names | Part 1 | | | | Part II | | Exempt |
|---|---------|--|------------------|---------|------------------------------|--|------------------------------------|
| | Group A | Group B | Group C | Group D | | | |
| Pirenzepine; its salts | - | - | All preparations | | | | |
| Pirfenidone | - | All preparations | | | | | |
| Pirfenoxone; its salts | - | All preparations | | | | | |
| Piribedil | - | All preparations | | | | | |
| Piroxicam | - | - | All preparations | | | | |
| Pitavastatin calcium | - | All preparations | | | | | |
| Pitofenone; its salts | - | - | All preparations | | | | |
| Pituitary gland, the active principles of, other than corticotrophins, oxytocins and vasopressins | - | - | All preparations | | | | |
| Pizotifen; its salts | - | - | All preparations | | | | |
| Plerixafor | - | All preparations | | | | | |
| Polidocanol | - | All preparations for parenteral administration | - | - | - | | All preparations unless in Group B |
| Polymethylene bis trimethyl-ammonium salts | - | All preparations | | | | | |
| Pomalidomide | - | All preparations | | | | | |
| Ponatinib | - | All preparations | | | | | |
| Posaconazole | - | All preparations | | | | | |
| Potassium hydroxide | - | - | - | - | 12% and over unless exempted | (1) Under 12% (2) Accumulators, batteries or when use as food additive in food (3) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived | |
| Potassium permanganate | - | - | - | - | All preparations | Preparations containing 0.1% and less of potassium permanganate | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|--------------------------|--|-----------------------------------|--|----------------|----------------|----------------|------------------------------------|
| Practolol; its salts | - | All preparations | | | | | |
| Pralatrexate | - | All preparations | | | | | |
| Pralidoxime | - | - | All preparations for parenteral administration | | - | - | All preparations unless in Group C |
| Pramipexole; its salts | - | All preparations | | | | | |
| Prasugrel | - | All preparations | | | | | |
| Pravastatin | - | All preparations | | | | | |
| Prazosin; its salts | - | All preparations | | | | | |
| Pregabalin | - | All preparations | | | | | |
| Prenylamine; its salts | - | All preparations | | | | | |
| Prifinium | - | Preparations for animal treatment | All preparations unless in Group B | | | | |
| Primaquine; its salts | - | All preparations | | | | | |
| Primidone | - | All preparations | | | | | |
| Probenecid | - | All preparations | | | | | |
| Probucol | - | - | All preparations | | | | |
| Procainamide; its salts | - | All preparations | | | | | |
| Procarbazine; its salts | - | All preparations | | | | | |
| Procaterol | All preparations for use in animal feeds | - | Preparations other than those in Group A | | | | |
| Procyanidolic oligomers | - | All preparations | | | | | |
| Procyclidine; its salts | - | All preparations | | | | | |
| Propafenone; its salts | - | All preparations | | | | | |
| Proglumetacin; its salts | - | - | All preparations | | | | |
| Proglumide | - | - | All preparations | | | | |
| Proguanil; its salts | - | - | All preparations | | | | |
| Prolintane; its salts | - | All preparations | | | | | |
| Promoxolane | - | All preparations | | | | | |
| Propanidid | - | All preparations | | | | | |
| Propranolol; its salts | - | All preparations | | | | | |
| Propantheline; its salts | - | - | All preparations | | | | |

| Names | | | Part 1 | Part II | | Exempt |
|---|---------|----------------------------------|--|---------|---|--|
| | Group A | Group B | Group C | Group D | | |
| Propiverine | - | All preparations | | | | |
| Propylhexedrine | - | All preparations | | | | |
| Proquazone | - | - | All preparations | | | |
| Prostaglandins and its derivatives; their salts; their esters | - | All preparations | | | | |
| Protamine sulphate | - | - | All preparations for parenteral administration | - | - | All preparations unless in Group C |
| Prothionamide | - | - | All preparations | | | |
| Prothipendyl; its salts | - | All preparations | | | | |
| Protriptyline; its salts | - | All preparations | | | | |
| Prucalopride | - | All preparations | | | | |
| Psilocine or psilocin; its salts (DD) | - | All preparations | | | | |
| Psilocybine; its salts (DD) | - | All preparations | | | | |
| Pyrazinamide | - | All preparations | | | | |
| Pyridinol carbamate | - | All preparations | | | | |
| Pyridostigmine; its salts | - | - | All preparations | | | |
| Pyrimethamine | - | - | All preparations | | | |
| Pyrithyldione | - | - | All preparations | | | |
| Pyrovalerone | - | All preparations | | | | |
| α -Pyrrolidinovalerophenone (α -PVP) | - | All preparations | | | | |
| Quetiapine; its salts | - | All preparations | | | | |
| Quinagolide; its salts | - | All preparations | | | | |
| Quinapril | - | All preparations | | | | |
| Quinethazone | - | All preparations | | | | |
| Quinidine; its salts | - | All preparations | | | | |
| Quinine; its salts | - | All preparations unless exempted | - | - | - | Preparations used as bitter, flavouring agent or in the manufacture of polarising glasses and plastics |
| Quinolin-8-yl 1-(5-fluoropentyl)-1H-indole-3- carboxylate (5F-PB-22) (DD) | - | All preparations | | | | |

| Names | Part 1 | | | | Part II | Exempt |
|---|--|--|--|----------------|-----------------------------------|--|
| | Group A | Group B | Group C | Group D | | |
| Rabeprazole; its salts | - | All preparations | | | | |
| Racecadotril | - | - | All preparations | | | |
| Ractopamine | All preparations unless in Part II | - | - | - | When compounded with animal feeds | |
| Radium and other radioactive substances for therapeutic or diagnostic use | - | All preparations | | | | |
| Rafoxanide | - | All preparations | | | | |
| Raltegravir | - | All preparations | | | | |
| Ramipril | - | All preparations | | | | |
| Ranitidine; its salts | - | - | All preparations | | | |
| Ranitidine bismuth citrate | - | All preparations | | | | |
| Ranolazine | - | All preparations | | | | |
| Rasburicase | - | All preparations | | | | |
| Ravidasvir | - | All preparations | | | | |
| Rebamipide | - | All preparations | | | | |
| Reproterol | All preparations for use in animal feeds | - | Preparations other than those in Group A | | | |
| Retinol; its esters | - | All preparations in pharmaceutical dosage forms for human use, containing more than 10,000 i.u. of Vitamin A per dosage unit | All preparations for parenteral administration unless in Group B | - | - | All preparations other than those in Group B and Group C |
| Recombinant-Methionyl Human Granulocyte - colony stimulating factor | - | All preparations | | | | |
| Regorafenib | - | All preparations | | | | |
| Remdesivir | - | All preparations | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|-----------------------------------|--|------------------|---------------|----------------|----------------|----------------|--|
| Repaglinide | - | - | | | | | |
| Retigabine | - | All preparations | | | | | |
| Ribavirin | - | All preparations | | | | | |
| Ribociclib | - | All preparations | | | | | |
| Rilmenidine; its salts | - | All preparations | | | | | |
| Rilpivirine | - | All preparations | | | | | |
| Riluzole | - | All preparations | | | | | |
| Rimiterol | All preparations for use in animal feeds | - | | | | | Preparations other than those in Group A |
| Rimonabant | - | All preparations | | | | | |
| Riociguat | - | All preparations | | | | | |
| Ripasudil | - | All preparations | | | | | |
| Risdiplam | - | All preparations | | | | | |
| Risedronate; its salts | | All preparations | | | | | |
| Risperidone | - | All preparations | | | | | |
| Ritonavir | - | All preparations | | | | | |
| Rivaroxaban | - | All preparations | | | | | |
| Rivastigmine; its salts | - | All preparations | | | | | |
| Rizatriptan; its salts | - | All preparations | | | | | |
| Robenacoxib | - | All preparations | | | | | |
| Robenidine | - | All preparations | | | | | |
| Rocuronium; its salts | - | All preparations | | | | | |
| Rofecoxib | - | All preparations | | | | | |
| Roflumilast | - | All preparations | | | | | |
| Rolicyclidine or PHP or PCPY (DD) | - | All preparations | | | | | |
| Romiplostim | - | All preparations | | | | | |
| Ronidazole | All preparations | | | | | | |
| Ropinirole; its salts | - | All preparations | | | | | |
| Rosiglitazone; its salts | - | - | | | | | All preparations |
| Rosoxacin | - | All preparations | | | | | |

| Names | | | Part 1 | | | Part II | Exempt |
|------------------------------------|--|------------------------------------|---|---------|------------------|---|--------|
| | Group A | Group B | Group C | Group D | | | |
| Rosuvastatin | - | All preparations | | | | | |
| Rotigotine | - | All preparations | | | | | |
| Roxatidine | - | - | All preparations | | | | |
| Rufinamide | - | All preparations | | | | | |
| Rurioctocog alfa pegol | - | All preparations | | | | | |
| Ruxolitinib | - | All preparations | | | | | |
| Sacubitril | - | All preparations | | | | | |
| Safinamide | - | All preparations | | | | | |
| Safrole; includes safrole-rich oil | - | - | - | - | All preparations | Preparations containing safrole as flavouring agents and perfumes | |
| Salbutamol | All preparations for use in animal feeds | - | Preparations other than those in Group A | | | | |
| Salinomycin | - | All preparations | | | | | |
| Salmeterol | All preparations for use in animal feeds | - | Preparations other than those in Group A | | | | |
| Santonin | - | - | All preparations | | | | |
| Sapropterin | - | All preparation | | | | | |
| Saquinavir; its salts | - | All preparations | | | | | |
| Sarolaner | - | All preparations | | | | | |
| Savin, oil of | - | - | All preparations | | | | |
| Saxagliptin | - | All preparations | | | | | |
| Secnidazole | - | All preparations unless in Group C | Pessaries. Preparations for external use | | | | |
| Selamectin | - | All preparations | | | | | |
| Selegiline; its salts | - | All preparations | | | | | |
| Selenium sulphide | - | - | All preparations unless exempted | - | - | Preparations for external use containing 1% w/v or less Selenium Sulphide | |
| Selexipag | - | All preparations | | | | | |
| Selumetinib | - | All preparations | | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|---|----------------|---|--|----------------|----------------|----------------|---|
| Semaglutide | - | All preparations | | | | | |
| Semduramicin | - | All preparations | | | | | |
| Semustine; its salts | - | All preparations | | | | | |
| Sermoreline GRF | - | All preparations | | | | | |
| Sertaconazole; its salts | - | All preparations unless in Group C | Preparations for external use | | | | |
| Sertindole | - | All preparations | | | | | |
| Sertraline; its salts | - | All preparations | | | | | |
| Sevelamer | - | All preparations | | | | | |
| Sevoflurane | - | All preparations | | | | | |
| Sex Hormones-androgenic, oestrogenic and progestational, the following: | - | (1) All preparations with androgenic properties unless in Group C or exempted | All preparations unless in Group B or exempted | | - | - | Preparations for external use containing not more than 40 ppm of oestrogenic substances |
| Benzoestrol | | (2) Progestational preparations for subdermal implant | | | | | |
| Derivatives of stilbene or naphthalene with oestrogenic activity; their esters | | | | | | | |
| Steroid compounds with androgenic, oestrogenic or progestational activity; their esters | | | | | | | |
| Sibutramine | - | All preparations | | | | | |
| Sildenafil | - | All preparations | | | | | |
| Simeprevir | - | All preparations | | | | | |
| Simoctocog alfa | - | All preparations | | | | | |
| Silodosin | - | All preparations | | | | | |
| Simvastatin | - | All preparations | | | | | |
| Siponimod | - | All preparations | | | | | |

| Names | Part 1 | | | | Part II | | Exempt |
|--------------------------------|---------|------------------------------------|--|---------|---|--|------------------------------------|
| | Group A | Group B | Group C | Group D | | | |
| Sirolimus | - | All preparations | | | | | |
| Sitagliptin | - | All preparations | | | | | |
| Sodium cromoglycate | - | - | All preparations | | | | |
| Sodium hydroxide | - | - | All preparations for therapeutic or diagnostic use | - | All preparations containing 12% and over other than those in Part I or exempted and subject to the provisions of Poisons (Sodium Hydroxide) Regulations, 1962 | (1) Under 12% (2) Sodium hydroxide when use as food additive in food (3) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived | |
| Sodium zirconium cyclosilicate | - | All preparations | | | | | |
| Sofosbuvir | - | All preparations | | | | | |
| Somatostatin | - | All preparations | | | | | |
| Solifenacin | - | - | All preparations | | | | |
| Sorafenib | - | All preparations | | | | | |
| Sotalol; its salts | - | All preparations | | | | | |
| Sparteine; its salts | - | All preparations | | | | | |
| Spironolactone | - | All preparations | | | | | |
| Stavudine; its salts | - | All preparations | | | | | |
| Streptokinase | - | All preparations | | | | | |
| Streptozocin | - | All preparations | | | | | |
| Strophanthus, glycosides of | - | All preparations | | | | | |
| Styramate | - | All preparations | | | | | |
| Succinylated gelatin | - | - | All preparations for parenteral administration | - | - | - | All preparations unless in Group C |
| Sucroferric oxyhydroxide | - | All preparations | | | | | |
| Sugammadex | - | All preparations | | | | | |
| Sulconazole; its salts | - | All preparations unless in Group C | Pessaries. Preparations for external use | | | | |

| Names | Part 1 | | | | Part II | Exempt |
|---|--|--|--|---------------------------------|-----------------------------------|--|
| | Group A | Group B | Group C | Group D | | |
| Sulindac | - | All preparations | | | | |
| Sulphinpyrazone | - | All preparations | | | | |
| Sulphonal; alkyl sulphonals | - | - | All preparations | | | |
| Sulphonamides; their salts; their derivatives | All preparations unless in Group B, Group C, Group D and Part II | All preparations in pharmaceutical dosage form and veterinary preparations compounded with one or more ingredients including preparations intended for inclusion in animal feeds unless in Group A, Group C, Group D and Part II | Suppositories and preparations for topical use in the nose, eyes and ears, lozenges and preparations for external use only | Preparations for laboratory use | When compounded with animal feeds | |
| Sulphuric acid | - | - | - | - | 9% w/w and over unless exempted | (1) Under 9% w/w (2) Accumulators; batteries; fire-extinguishers (3) Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |
| Sulpiride | - | All preparations | | | | |
| Sultopride | - | All preparations | | | | |
| Sumatriptan; its salts | - | All preparations | | | | |
| Sunitinib maleate | - | All preparations | | | | |
| Suxamethonium; its salts | - | All preparations | | | | |
| Syrosingopine | - | All preparations | | | | |
| Tacrine; its salts | - | All preparations | | | | |
| Tacrolimus | - | All preparations unless in Group C | Preparations for external use | | | |

| Names | Part 1 | | | Part II | | Exempt |
|---|--|---------------------------------------|---|---------|--|----------------------------------|
| | Group A | Group B | Group C | Group D | | |
| Tadalafil | - | All preparations | | | | |
| Tafamidis | - | All preparations | | | | |
| Tafuprost | - | All preparations | | | | |
| Talazoparib | - | All preparations | | | | |
| Tamoxifen; its salts | - | All preparations | | | | |
| Tamsulosin | - | All preparations | | | | |
| Tapentadol | - | All preparations | | | | |
| Tegafur | - | All preparations | | | | |
| Tegaserod | - | - | All preparations | | | |
| Teicoplanin | All preparations | | | | | |
| Telbivudine | - | - | All preparations | | | |
| Telithromycin | - | All preparations | | | | |
| Telmisartan | - | All preparations | | | | |
| Temozolomide | - | All preparations | | | | |
| Temsirolimus | - | All preparations | | | | |
| Tenecteplase | | All preparations | | | | |
| Tenocyclidine or TCP; its salts (DD) | - | All preparations | | | | |
| Tenofovir | - | All preparations | | | | |
| Tenonitrozoole | - | All preparations unless in Group C | Pessaries. Preparation for external use | | | |
| Tenoxicam | - | - | All preparations | | | |
| Terazosin; its salts | - | All preparations | | | | |
| Terbinafine; its salts | - | All preparations unless exempted | | | | Preparations for external use |
| Terbutaline | All preparations for use in animal feeds | - | Preparations other than those in Group A | | | |
| Terconazole | - | All preparations unless in Group C | Pessaries. Preparations for external use. | | | |

| Names | Part 1 | | | | Part II | | Exempt |
|--|---------|----------------------------|--|--|---------|--|---|
| | Group A | Group B | Group C | Group D | | | |
| Teriflunomide | - | All preparations | | | | | |
| Teriparatide | - | All preparations | | | | | |
| Teropterin | - | All preparations | | | | | |
| Tertatolol | - | All preparations | | | | | |
| Tetrabenazine; its salts | - | All preparations | | | | | |
| Tetrahydrozoline; its salts | - | - | All preparations | | | | |
| Tetramisole | - | All preparations | | | | | |
| Tetrofosmin | - | - | All preparations for parenteral administration | - | - | | All preparations unless in Group C |
| Thalidomide | - | All preparations | | | | | |
| Thallium; salts of | - | All medicinal preparations | - | All preparations unless in Group B | | | |
| Theophylline; its salts | - | - | All medical preparations | Preparations other than medicinal preparations unless exempted | - | | Naturally occurring theophylline in tea, coffee or cocoa |
| Thiacetazone | - | - | All preparations | | | | |
| Thiambutosine | - | All preparations | | | | | |
| Thiocarlide; its salts | - | All preparations | | | | | |
| Thiocolchicoside | - | All preparations | | | | | |
| Thiomersal | - | - | All preparations unless exempted | - | - | | Therapeutic substances containing less than 0.1% of Thiomersal as a preservative |
| Thionyl Chloride | - | - | - | All preparations unless exempted | - | | Its analogues, homologues, compounds, intermediates, derivatives, esters, ethers, salts and other substances structurally derived |
| Thiotepa | - | All preparations | | | | | |
| Thiouracil and other substances structurally derived therefrom | - | All medicinal preparations | - | All preparations unless in Group B | | | |

| Names | | | Part 1 | Part II | Exempt |
|--|----------------|------------------------------------|---|----------------|---------------|
| | Group A | Group B | Group C | Group D | |
| Thyroid gland, the active principles of; their salts | - | - | All preparations | | |
| Tiagabine; its salts | - | All preparations | | | |
| Tianeptine; its salts | - | All preparations | | | |
| Tiapride; its salts | - | All preparations | | | |
| Tiaprofenic acid | - | All preparations | | | |
| Ticagrelor | - | All preparations | | | |
| Ticlopidine | - | All preparations | | | |
| Tibolone | - | - | All preparations | | |
| Tiemonium; its salts | - | - | All preparations | | |
| Tiletamine; its salts | - | All preparations | | | |
| Tiludronic acid; its salts | - | All preparations | | | |
| Timepidium; its salts | - | All preparations | | | |
| Timolol; its salts | - | All preparations | | | |
| Tinidazole | - | All preparations unless in Group C | Pessaries. Preparations for external use | | |
| Tinoridine; its salts | - | - | All preparations | | |
| Tioconazole | - | All preparations unless in Group C | Pessaries. Preparations for external use | | |
| Tiotropium bromide | - | - | All preparations | | |
| Tipepidine hybenzate | - | - | All preparations | | |
| Tipiracil | - | All preparations | | | |
| Tirofiban | - | All preparations | | | |
| Todrazoline; its salts | - | All preparations | | | |
| Tofacitinib | - | All preparations | | | |
| Tolbutamide; its salts | - | - | All preparations | | |
| Tolcapone | - | All preparations | | | |
| Tolcyclamide | - | - | All preparations | | |
| Tolfenamic acid | - | All preparations | | | |
| Tolmetin; its salts | - | All preparations | | | |

| Names | | | Part 1 | | | Part II | Exempt |
|--|--|----------------------------------|--|---------|---|---------|---|
| | Group A | Group B | Group C | Group D | | | |
| Tolperison; its salts | - | All preparations | | | | | |
| Tolterodine | - | - | All preparations | | | | |
| Toltrazuril | - | All preparations | | | | | |
| Tolvaptan | - | All preparations | | | | | |
| Topiramate | - | All preparations | | | | | |
| Topotecan; its salts | - | All preparations | | | | | |
| Torasemide | - | All preparations | | | | | |
| Toremifene; its salts | - | All preparations | | | | | |
| Trabectedine | - | All preparations | | | | | |
| Tramadol; its salts | - | All preparations | | | | | |
| Tranexamic acid | - | All preparations unless exempted | - | - | - | | Tranexamic acid in cosmetic which is notified under the Control of Drugs and Cosmetics Regulations 1984 |
| Trapidil | - | All preparations | | | | | |
| Travoprost | - | All preparations | | | | | |
| Tretamine; its salts | - | All preparations | | | | | |
| Tretinoin | - | - | All preparations | | | | |
| Tretoquinol | All preparations for use in animal feeds | - | Preparations other than those in Group A | | | | |
| Triamterene | - | All preparations | | | | | |
| Triaziquone | - | All preparations | | | | | |
| Tribenoside | - | - | All preparations | | | | |
| Tribromoethanol | - | All preparations | | | | | |
| 2, 2, 2-Trichloroethanol; esters of; their salts | - | All preparations | | | | | |
| 3-Trifluoromethylphenylpiperazine (TFMPP) | - | All preparations | | | | | |
| Trifluridine | - | All preparations | | | | | |
| Triflusal | - | All preparations | | | | | |
| Triglycerides | - | - | All preparations for | - | - | | All preparations unless in |

| Names | | | Part 1 | Part II | | Exempt |
|---|--|------------------------------------|--|---------|---------|---|
| | Group A | Group B | Group C parenteral administration | Group D | Group C | |
| Trimebutine maleate | - | All preparations | | | | |
| Trimetaphan camsylate | - | All preparations | | | | |
| Trimetazidine; its salts | - | - | All preparations | | | |
| 3, 4, 5-Trimethoxy-amphetamine (TMA) (DD) | - | All preparations | | | | |
| Trimetrexate; its salts | - | All preparations | | | | |
| Tromantadine; its salts | - | All preparations unless in Group C | Preparations for external use | | | |
| Trimipramine; its salts | - | All preparations | | | | |
| Trioxsalen | - | All preparations | | | | |
| Triptorelin | - | All preparations | | | | |
| Trofosfamide | - | All preparations | | | | |
| Tropicamide | - | - | All preparations | | | |
| Tropisetron; its salts | - | All preparations | | | | |
| Trospium chloride | - | - | All preparations | | | |
| Troxidone | - | All preparations | | | | |
| L-Tryptophan | - | All preparations unless exempted | - | - | - | (1) Preparations containing naturally occurring L-Tryptophan (2) Animal feed or feed additive (3) Food and its added nutrient |
| Tubocurarine; its salts | - | All preparations | | | | |
| Tulobuterol | All preparations for use in animal feeds | - | Preparations other than those in Group A | | | |
| Tybamate | - | All preparations | | | | |
| Udenafil | - | All preparations | | | | |
| Ulinastatin | - | All preparations unless exempted | - | - | - | Naturally occurring ulinastatin |
| Ulipristal | - | - | All preparations | | | |
| Umeclidinium | - | All preparations | | | | |

| Names | Part 1 | | | | Part II | | Exempt |
|---|--|---|---|---------|---------|---------------------------------|---------------|
| | Group A | Group B | Group C | Group D | | | |
| Upadacitinib | - | All preparations | | | | | |
| Urapidil | - | All preparations | | | | | |
| Urea in medicinal preparation containing 40% and above of urea | - | - | All medicinal preparations | | | | |
| 13 C-Urea in medicinal preparations | - | - | All medicinal preparations | | | | |
| Urokinase | - | All preparations | | | | | |
| Ursodeoxycholic acid | - | - | All preparations | | | | |
| Vaccines, sera, toxoids, antitoxins, antigens and immunoglobulins for human use | - | All preparations unless in Group C | All preparations for diagnostic use in laboratory | | | | |
| Valaciclovir; its salts | - | All preparations | | | | | |
| Valbenazine | - | All preparations | | | | | |
| Valdecoxib | - | All preparations | | | | | |
| Valepotriates | - | - | All preparations unless exempted | - | - | | Valerian root |
| Valganciclovir | - | All preparations | | | | | |
| Valproic acid; its salts | - | All preparations | | | | | |
| Valsartan | - | All preparations | | | | | |
| Vancomycin | Veterinary preparations for food producing animals | All preparations unless in Group A or Group D | - | | | Preparations for laboratory use | |
| Vardenafil | - | All preparations | | | | | |
| Varenicline tartrate | - | - | All preparations | | | | |
| Vasopressins | - | All preparations | | | | | |
| Vecuronium; its salts | - | All preparations | | | | | |
| Velpatasvir | - | All preparations | | | | | |
| Vemurafenib | - | All preparations | | | | | |
| Venetoclax | - | All preparations | | | | | |
| Venlafaxine; its salts | - | All preparations | | | | | |
| Veralipride | - | All preparations | | | | | |

| Names | Group A | Group B | Part 1 | Group C | Group D | Part II | Exempt |
|--------------------------|----------------|--------------------------------|--|------------------|----------------|----------------|------------------------------------|
| Verapamil; its salts | - | - | | All preparations | | | |
| Vericiguat | - | All preparations | | | | | |
| Vernakalant | - | All preparations | | | | | |
| Verteporfin | - | All preparations | | | | | |
| Vidarabine | - | All preparations | | | | | |
| Vigabatrin | - | All preparations | | | | | |
| Vilanterol | - | - | All preparations | | | | |
| Vildagliptin | - | All preparations | | | | | |
| Viloxazine; its salts | - | All preparations | | | | | |
| Vitamins; the following: | - | - | All preparations for parenteral administration | | - | - | All preparations unless in Group C |
| Alfacalcidol | | | | | | | |
| Ascorbic acid | | | | | | | |
| Cyanocobalamin | | | | | | | |
| Ergocalciferol | | | | | | | |
| Mecobalamin | | | | | | | |
| Menaquinone | | | | | | | |
| Panthenic acid | | | | | | | |
| Phytomenadione | | | | | | | |
| Pyridoxine | | | | | | | |
| Riboflavin | | | | | | | |
| Thiamine | | | | | | | |
| Tocopherol | | | | | | | |
| Vismodegib | - | All preparations | | | | | |
| Vonoprazan | - | All preparations | | | | | |
| Voriconazole | - | All preparations | | | | | |
| Vorinostat | - | All preparations | | | | | |
| Vortioxetine | - | All preparations | | | | | |
| Warfarin; its salts | - | All preparations for human use | | | | | |
| Xanthinol nicotinate | - | All preparations | | | | | |
| Ximelagatran | - | All preparations | | | | | |

| Names | | | Part 1 | | Part II | | Exempt |
|---------------------------------------|---------|------------------|--|--|---------|--|---------------------------|
| | Group A | Group B | Group C | Group D | | | |
| Xipamide | - | All preparations | | | | | |
| Xylazine | - | All preparations | | | | | |
| Xylometazoline; its salts | - | - | All preparations | | | | |
| Zafirlukast | - | All preparations | | | | | |
| Zalcitabine | - | All preparations | | | | | |
| Zaleplon | - | All preparations | | | | | |
| Zanamivir | - | All preparations | | | | | |
| Zidovudine | - | All preparations | | | | | |
| Zinc p-phenolsulphonate | - | - | Medicinal preparations unless exempted | All preparations other than Group C and exempted | - | | Strengths of 5% and under |
| Zipeprol | - | All preparations | | | | | |
| Ziprasidone Hydrochloride Monohydrate | - | All preparations | | | | | |
| Zofenopril calcium | - | All preparations | | | | | |
| Zolazepam | - | All preparations | | | | | |
| Zoledronic acid; its salts | - | All preparations | | | | | |
| Zolmitriptan | - | All preparations | | | | | |
| Zolpidem | - | All preparations | | | | | |
| Zomepirac; its salts | - | All preparations | | | | | |
| Zonisamide | - | All preparations | | | | | |
| Zopiclone | - | All preparations | | | | | |
| Zoxazolamine; its salts | - | All preparations | | | | | |

In the construction of this List, unless the contrary intention appears, a reference to a substance mentioned in the first column of this Schedule shall include a reference to that substance prepared either from natural sources or synthetically.

The following shall apply to all substances mentioned in the first column of this Schedule:

- unless already specified, the analogues, homologues, compounds, intermediates, derivatives, isomers, esters, ethers and salts of the substances mentioned in the first column of this Schedule and other substances structurally derived.

In this List "percent / %" shall mean -

- % w/w for solid in solid preparation
- % w/v for solid in liquid preparation
- % v/v for liquid in liquid preparation.